Mathematics



 With the blessings of:

Our Parents

Mathematics (Part-4)

Copyright @ Publishers

All rights reserved. No part of the publications may be reproduced, transmitted or distributed in any form or by any means without prior permission in written. Any person who does any unauthorised act in relation, Publications may be liable to criminal prosecution and civil claims for damages.

Limits of liability and Disclaimer of Warranty:

The Authors, Editors, Designers and the Publishers of this book have tried their best to ensure that all the texts are correct in all aspect. However, the authors and the publishers does not take any responsibility of any errors, if happened. The correction of errors, if found will duly be done in the next edition.

MADE IN INDIA



Support Recycle

Save a Tree Save the Earth

One Ton of this Paper Saves 17 trees

Max Retail Price: On Back Cover

Edited & Designed by:

Editone International Pvt. Ltd.

Based on:

- National Education Policy 2020
- NCF 2022
- Activity Based Format
- Innovative Approach
- Learning with fun
- Eco-Friendly Paper



Mathematics, a well arranged series of Mathematics strictly confirms to the vision of National Curriculum Framework 2022 and also meets the requirement of the NCERT latest syllabus. It is an activity-based maths textbook created to give the students a National Education Policy 2020-based interactive learning foundation in mathematics while also fostering the holistic development of learners through critical thinking and creativity.

These traits will aid the students in better understanding the fundamental ideas through play. Core educational ideas are the foundation of this textbook. The goal is to encourage youngsters to look beyond the theoretical side of arithmetic and to learn about practical applications.

The book's design emphasises effectiveness and logical progression. Through teaching and interactive learning, NEP 2020 seeks to enhance higher order thinking.

The purpose of this book's design and presentation is to reinforce mathematical concepts through the use of simple games. This book includes enough questions in accordance with the NEP 2020 criteria.

Salient Features of the series:

Learning Objectives: Learning objective shows the right path of learning to the teacher as well as students. It determines the direction of learning for effective and quality learning outcomes.

Warm-Up: It aids pupils in remembering lessons learnt in previous years and lets them ready for new concepts. Also, allows learners to process and explore mathematical concepts while applying, extending, and analysing information within their own unique range of understanding.

Teacher's note: A "Teacher's Note" is a set of instructions laid out for the teachers to follow in the classroom in order to make class interactive and discussion based.

Quick Tip: It offers suggestions on how to quickly solve the questions.

Facts To know: The inclusion of it gives the learner plenty of chances to investigate the information regarding the topics..

Think Wisely: These questions have been included to encourage learners to think, analyse and apply.

Mental Maths: The main goal of teaching Mental Maths to the learners is to focus on improving their arithmetic abilities through memory, practice and number manipulation.

Maths Lab Activities: These are provided with the intention of making maths learning efficient, engaging, pleasant, and intellectually stimulating.

This series of Mathematics books from class 1-8 contains sufficient questions for practice on each topic.

I am very appreciative of the entire staff and the management for working so hard to get this book into such a wonderful arrangement.

The books are always open to suggestions and enhancements.

Author

Contents

S.No.	Chapters	Page No.
1.	The Number System	5
2.	Roman Numbers	26
3.	Addition	31
4.	Subtraction	43
5 .	Multiplication	54
6.	Division	67
7 .	Multiples and Factors	83
8.	Fractional Numbers	102
9.	Decimals	118
10.	Money	127
11.	Measuring Time	133
12.	Calendar	151
13.	Metric System	160
14.	Geometrical Concepts	171
15 .	Perimeter of Rectilinear Figures	181
16.	Pictorial Data Representation	186





The Number System



By the end of this lesson, students will be able to:

- Know the successor and predecessor of a number.
- · Arrange numbers in ascending and descending order.
- · Form numbers.
- · Tell the face and place value of a digit.



Observe the following picture and answer the following questions.



- 1. What is the price of half Kg apple?
- 2. Find the cost of 3 dozen bananas?
- 3. Arrange the price of fruits in ascending order.







In class III, we have learnt upto 4-digit numbers. Now study further.

Extension of Numbers

Numbers	Smallest	Largest
4-digit	1000 (One Thousand)	9999
5-digit	10000 (Ten Thousand)	99999
6-digit	100000 (One Lakh)	999999
7-digit	1000000 (Ten Lakh)	999999

Number system helps us to find out the place value of each digit in a numeral according to its position.



Indian number system is based on Hindu-Arabic numeration. Thus, it is also known as Hindu-Arabic number system.









Place value chart of Indian Number System is shown below:

LAK	KHS	THOUS	SANDS		ONES	
TL	L	T-TH	TH	Н	Т	0
TEN LAKHS 10,00,000	LAKHS 1,00,000	TEN THOUSANDS 10,000	THOUSANDS 1,000	HUNDREDS 100	TENS 10	ONES 1

The first three places from the right are marked with ONES.

The next two places are marked with THOUSANDS.

The next to next two places are marked with LAKHS.



International number system is used by many countries in the world.

In this system, we use 1 lakhs = 100 thousands

10 lakhs = 1 million

Place value chart of International Number System is shown below:

٨	AILLION:	S	TH	10USANI)S		ONES	
НМ	TM	M	H-TH	T-TH	TH	Н	Т	0
HUNDRED MILLIONS 100,000,000	TEN MILLIONS 10,000,000	MILLIONS 1,000,000	HUNDRED THOUSANDS 100,000	TEN THOUSANDS 10,000	THOUSANDS 1,000	HUNDREDS 100	TENS 10	ONES 1

Mathematics-4



Quick Tip

In the International numeral system, we begin from the right side and insert commas after every three digits.

The first three places from the right are marked with ONES.

The next three places are marked with THOUSANDS.

The next to next three places are marked with MILLIONS.



Do not use the word 'and' before tens and ones.

For example,

7486 should not be read as

Seven thousand four hundred and eighty-six.

It can be read as,

Seven thousand four hundred eighty six.





Do not write in plural form.

For eample,

2754 should never be written as two thousands seven hundreds fifty four.

It can be written as.

Two thousand seven hundred fifty four.

Solved Examples

- Example 1: Write each of the following numerals in the Indian number system using commas:
 - (a) 91265
- (b) 345642
- 7392105 (c)

- (d) 8123987
- (e) 889016





0. 1

















1		\sim	\sim	\sim					$\sim \sim$
		TL	L	T-TH	TH	Н	Т	0	Using Commas
Ĭ	(a)			9	1	2	6	5	91,265
	(b)		3	4	5	6	4	2	3,45,642
	(c)	7	3	9	2	1	0	5	73,92,105
	(d)	8	1	2	3	9	8	7	81,23,987
	(e)		8	8	9	0	1	6	8,89,016

Example 2: Write number names for each of the following numerals in the Indian number system:

(a) 64509

(b) 543290

732100 (c)

(d) 2345689

(e) 9734007

Solution : Indian Number System




	TL	L	T-Th	Th	Н	Τ	0	Number Name
(a)			6	4	5	0	9	Sixty four thousand five hundred nine.
(b)		5	4	3	2	9	0	Five lakh forty three thousand two hundred ninety.
(c)		7	3	2	1	0	0	Seven lakh thirty two thousand one hundred.
(d)	2	3	4	5	6	8	9	Twenty three lakh forty five thousand six hundred eighty nine.
(e)	9	7	3	4	0	0	7	Ninety seven lakh thirty four thousand seven.

Mathematics-4







(a) 46529

(b) 5764028

(c) 912346

(d) 21903487

(e) 412357698

Solution : International Number System

		Н	M TM	M	H-Th	T-T	h Th	Н	Т	0	Using Commas
Ĭ	(a)					4	6	5	2	9	46,529
	(b)			5	7	6	4	0	2	8	5,764,028
	(c)				9	1	2	3	4	6	912,346
	(d)		2	1	9	0	3	4	8	7	21,903,487
	(e)	4	1	2	3	5	7	6	9	8	412,357,698

Example 4: Write number names for each of the following numerals in the International number system:

(a) 764295

(b) 6421029

(c) 43528692

(d) 736145208 (e) 148009562

Solution : International Number System

(нм тм м	H-Th	T-	Th Th	Н	Т	0	Using Commas
	(a)		7	6	4	2	9	5	Seven hundred sixty four thousand two hundred ninety five.
	(b)	6	4	2	1	0	2	9	Six million four hundred twenty one thousand twenty nine.
	(c)	4 3	5	2	8	6	9	2	Forty three million five hundred twenty eight thousand six hundred ninety two.





(d)	7	3	6	1	4	5	2	0	8	Seven hundred thirty six million one hundred forty five thousand two hundred eight.
(e)	1	4	8	0	0	9	5	6	2	One hundred forty eight million nine thousand five hundred sixty two.

exercise 1.1

1.	Write each of	the	following	numerals	in	the	Indian	number	system	using
	commas:									

- (a) 12596
- (b) 731259
- (c) 7362487

- (d) 4123657
- (e) 435962
- (f) 1043521

2. Write each of the following numerals in the International number system using commas:

- (a) 913546
- (b) 3126708
- (c) 47326580

- (d) 149625983
- (e) 721482500
- (f) 83456210

3. Write the number names for each of the following numerals in the Hindu-Arabic number system:

- (a) 17309
- (b) 452086
- (c) 7312829

- (d) 4359800
- (e) 980026
- (f) 421053

4. Write the number names for each of the following numerals in the International number system:

- (a) 436542
- (b) 7348967
- (c) 89456240

- (d) 92389628
- (e) 730089286
- (f) 102598

5. Write the following number names in figures in the Hindu-Arabic number system, using proper commas:

- (a) Fourteen lakh two thousand seventy three.
- (b) Thirty two lakh nine thousand twenty.
- (c) Fifty lakh eleven thousand.
- (d) One lakh three hundred six.
- (e) Eighty three lakh twenty one thousand four hundred nine.





- (a) One million twenty three thousand four hundred six.
- (b) Twelve million one hundred fifty thousand ninety eight.
- (c) Sixty two million three hundred eleven thousand one hundred.
- (d) Ten million fifty thousand eighty.
- (e) Six million two thousand one hundred nine.

Face Value And Place Value of A Digit

Face Value of a digit in a numeral is the value of the digit itself.



Example 1: Let the numeral be 205679

In the above numeral,

Face value of is 9 { Face value of is 7 Face value of Face value of 5 5 is Face value of 0 0 is 2 { Face value of is

Example 2: Let the numeral be 4258615

In the above numeral.

Face value of 5 is Face value of 1 is Face value of 6 is Face value of 8 is 8 5 Face value of 5 is

Facts to Know

Aryabhata of
Kusumapura developed
the place-value notation
in the 5th century
and a century later
Brahmagupta introduced
the symbol for zero.





Face value of

2 is 2 {

Face value of

4 is 4 \{

Place value (or local value) of a digit in a numeral depends upon the value according to the place of a digit in a number.



Place value of a digit

= Face value of a digit

x Value of the place.

Place value of 0 is always 0, wherever it may be.

Example 3: Let the numeral be: 79,64,208

In the above numeral,

TL	L	T-Th	Th	Н	Т	0
7	9	6	4	2	0	8

Place value of 8 = 8 ones

 $= 8 \times 1$

= 8

Place value of 0 = 0 tens

 $= 0 \times 10$

= 0

Place value of 2 = 2 hundreds

= 2 × 100

= 200

Place value of 4 = 4 thousands

= 4 × 1,000

4,000

Place value of 9 = 9 lakhs

Place value of 6 = 6 ten thousands = $6 \times 10,000$

60,000

Place value of 7 = 7 ten lakhs

= 9 × 1,00,000 = 9,00,000

 $= 7 \times 10,00,000 = 70,00,000$

Let the numeral be: 43,58,620

In the above numeral,

TL	L	T-Th	Th	Н	Т	0
4	3	5	8	6	2	0

Place value of 0 = 0 ones

 $= 0 \times 0$

= 0

Place value of 2 = 2 tens

= 2 × 10

= 20

Example 4:



Place value of 6 = 6 hundreds $= 6 \times 100 = 600$

Place value of 8 = 8 thousands $= 8 \times 1,000 = 8,000$

Place value of 5 = 5 ten thousands = $5 \times 10,000 = 50,000$

Place value of 3 = 3 lakhs = $3 \times 1,00,000 = 3,00,000$

Place value of 4 = 4 ten lakes $= 4 \times 10,00,000 = 40,00,000$

exercise 1.2

1. Write the face value of encircled digits:

- (a) 256(2)9
- (c) 8970463
- (e) 739562
- (q) 234782

- (b) 734267
- (d) 4809274
- (f) 10405097
- (h) 98401278

2. Write the place value of encircled digits:

- (a) 987642
- (c) 9364280
- (e) 2030569
- (g) 8340567


- (b) 410027
- (d) 8 3 4 0 6 2 8
- (f) 1732592
- (h) 764259





When a numeral is expressed as a sum of the place value of its digits, then it is said to be in expanded form.









Solved Examples

Example 1: Write the number 76,42,908 in expanded form.

Solution : Given numeral can be written as:

TL	L	T-Th	Th	Н	Т	0
7	6	4	2	9	0	8

So, 76,42,908 = 7 ten lakhs + 6 lakhs + 4 ten thousands + 2 thousands + 9 hundreds + 0 tens + 8 ones

= $7 \times 10,00,000 + 6 \times 1,00,000 + 4 \times 10,000 + 2 \times 1,000 + 9 \times 100 + 0 \times 10 + 8 \times 1$

= 70,00,000 + 6,00,000 + 40,000 + 2,000 + 900 + 8

So, expanded form of 76,42,908 is:

70,00,000 + 6,00,000 + 40,000 + 2,000 + 900 + 8

Also, we can say that the short form of

70,00,000 + 6,00,000 + 40,000 + 2,000 + 900 + 8 is 76,42,908.

Example 2: Write the number 38,73,216 in expanded form.

Solution : Given numeral can be written as:

TL	L	T-Th	Th	Н	Т	0
3	8	7	3	2	1	6

So, 38,73,216 = 3 ten lakhs + 8 lakhs + 7 ten thousands + 3 thousands + 2 hundreds + 1 tens + 6 ones

 $= 3 \times 10,00,000 + 8 \times 1,00,000 + 7 \times 10,000 + 3 \times 1,000 + 2 \times 100 + 1 \times 10 + 6 \times 1$

= 30,00,000 + 8,00,000 + 70,000 + 3,000 + 200 + 10 + 6

So, expanded form of 38,73,216 is:

30,00,000 + 8,00,000 + 70,000 + 3,000 + 200 + 10 + 6

Also, we can say that the short form of

30,00,000 + 8,00,000 + 70,000 + 3,000 + 200 + 10 + 6 is 38,73,216.





exercise 1.3

- 1. Write the expanded form of following numerals:
 - (a) 43,925

- (b) 2,63,082
- (c) 28,64,902

- (d) 5,43,296
- (e) 92,73,008
- (f) 32,40,008
- 2. Write the short form of the following:
 - (a) 30,00,000 + 7,000 + 800 + 40 + 9
 - (b) 9,00,000 + 60,000 + 4,000 + 8
 - (c) 70,00,000 + 3,00,000 + 20,000 + 9,000 + 5
 - (d) 30,000 + 6,000 + 500 + 20 + 3
 - (e) 2,00,000 + 400 + 2
 - (f) 4.00.000 + 20.000 + 500 + 8



When we write some numbers with a fixed gap between two successive numbers, then such counting is known as skip counting.

Solved Examples

Eample 1 : Counting by two's, write five numerals from 32623 onwards.

Solution : Starting from 32623, we add 2.

The required numerals are:

32623, 32625, 32627, 32629, 32631

Example 2: Counting by five's, write five numerals from 72892 onwards.

Solution: Starting from 72892, we add 5.

The required numerals are:

72892, 72897, 72902, 72907, 72912





Counting by tens means there is a gap of 10 in every two successive numbers. Counting by twenties means there is a gap of 20 in every two successive numbers. Counting by fifties means there is a gap of 50 in every two successive numbers. Counting by hundreds means there is a gap of 100 in every two successive numbers. Counting by thousands means there is a gap of 1000 in every two successive numbers. and so on.

Think Wisely

I am a number. I am not an odd number. I am greater than 90 but I am not less than 100. If you

subtract me from 100. You get nothing. What number am I?

exercise 1.4

1.	Coun	ting by ten	ns, write the n	umerals from:		
	(a)	73618,				
	(b)	304692,	••••			
	(c)	986747,				
	(d)	1234629,				••••
2.	Coun	ting by two	enties, write th	ne numerals fro	om:	
	(a)	43520,				
	(b)	76295,				••••
	(c)	94621,				
	(d)	88467,				
3.	Coun	ting by fif	ties, write the	numerals from	•	
	(a)	30462,	••••	••••		
	(b)	286459,				
	(c)	386702,				
	(d)	2376408,				

Mathematics-4





	4.	Counting	by	hundreds,	write the	numerals	from
--	----	----------	----	-----------	-----------	----------	------

(a)	68423,	•••••	••••	•••••	
(h)	100926				

- (c) 284652,
- (d) 3642957,

Counting by thousands, write the numerals from: 5.

(a) 38425,	
------------	--

- (b) 76120,
- (c) 12459,
- (d) 44398,



Successor And Predecessor

The number just its successor.

after the given It is one more number, is called than the number.

For example,

The successor of 73265 is 73266 The successor of 99999 is 100000 The successor of 81325 is 81326 The successor of 10298 is 10299

The number just before given number, is called its predecessor.

It is one less than the number.

For example,

The predecessor of 84629 is 84628 The predecessor of 10000 is 9999 The predecessor of 10295 is 10294 The predecessor of 76430 is 76429







exercise 1.5

1. \	Write	the	successor	of	the	following	numerals
------	-------	-----	-----------	----	-----	-----------	----------

(a)	34652	 (b)	79688	
(c)	246809	 (d)	734988	•••••
(e)	9176455	 (f)	83465	•••••
(0)	88790	(h)	43572	

2. Write the predecessor of the following numerals:

(a)	100000	 (b)	76349	•••••
(c)	83490	 (d)	246958	•••••
(e)	1234602	 (f)	12495	•••••
(g)	54320	 (h)	64327	

3. Complete the following table:

	Predecessor	Number	Successor
(a)		10000	
(b)		72846	
(c)		348900	
(d)		912873	
(e)		7946520	



We have already learnt the comparison of numbers upto 4-digits in previous class.

Now, we will follow the same rules for large numbers.

Mathematics—4

19







Comparing Numbers Having Different Number of Digits

Number with more digits is the greater number.

764329 > 73664 834026 < 1723489



Comparing Numbers Having Same Number of Digits

Step 1 : To compare numbers, always begin with the left most digits in both

the numbers.

Step 2 : If they are equal in value, then compare the second digits from the

left in the numbers.

Step 3: If they are also equal in value, then compare the third digits from the

left in both the numbers.

Step 4 : Continue the process until you come across unequal digits at the

corresponding places.

Number with greatest value (or larger digit) is greater.

Solved Examples

Example 1: Which is greater: 36792 or 364720?

Solution : Clearly, 36792 consist of 5-digits and 364720 consist of 6-digits.

We know that, number with more digits is greater.

So, 364720 > 36792

Example 2: Which is greater: 3467920 or 3456283?

Solution : Arrange the numbers in place value chart:

TL	L	T-Th	Th	Н	Т	0
3	4	6	7	9	2	0
3	4	5	6	2	8	3
1	1	1				

Same Same Different





At ten thousands place,

6 > 5

So, 3467920 > 3456283

Example 3: Which is greater: 7246598 or 7246599?

Solution : Arrange the numbers in place value chart:

TL	L	T-Th	Th	Н	Т	0
7	2	4	6	5	9	8
7	2	4	6	5	9	9
1	†	1	1	1	1	<u> </u>
Same	Same	Same	Same	Same	Same	Different

At ones place,

8 < 9

So, 7246598 < 7246599



1. Compare the following numbers: (Which one is greater?)

(a) 36427 or 734695

(b) 87408 or 87402

(c) 764398 or 34679

(d) 9783002 or 9783059

(e) 837764 or 837694

(f) 433205 or 433210

2. Encircle the smallest number:

- (a) 36429, 56349, 28642, 73982
- (b) 76320, 43590, 63780, 89435
- (c) 1739675, 993926, 83472, 9760070
- (d) 3869723, 1764900, 8397280, 9865920

3. Encircle the largest number:

- (a) 73654, 28695, 98326, 90742
- (b) 784320, 9873402, 8301275, 28605
- (c) 2864100, 1296580, 9922460, 296001
- (d) 368542, 926459, 834621, 120010



- 4. Write the smallest and greatest 5-digit number, using the digits: 3,6,0,2,5
- 5. Write the smallest and greatest 6-digit number, using the digits: 9,0,8,7,2,1
- 6. Write the smallest and greatest 7-digit number, using the digits: 3,4,6,7,2,9,0



Ordering of numbers means to arrange the numbers in either ascending or descending order.

Ascending order means to arrange the numbers from the smallest to the greatest number.



Descending order means to arrange the numbers from the greatest to the smallest number.

Example 1: Arrange the following numbers in ascending order:

764329, 2865901, 38629, 1542860, 28659

Solution : Arrange these numbers in a place value chart:

TL	L	T-Th	Th	Н	Т	0
	7	6	4	3	2	9
2	8	6	5	9	0	1
		3	8	6	2	9
1	5	4	2	8	6	0
		2	8	6	5	9

Clearly,

28659 < 38629 < 764329 < 1542860 < 2865901

So, ascending order of given numbers is:

28659, 38629, 764329, 1542860, 2865901





Example 2: Arrange the following numbers in ascending order:

1834059, 1060502, 7210591, 653108, 5100293

Solution : Arrange these numbers in a place value chart:

TL	L	T-Th	Th	Н	Т	0
1	8	3	4	0	5	9
1	0	6	0	5	0	2
7	2	1	0	5	9	1
	6	5	3	1	0	8
5	1	0	0	2	9	3

Clearly,

653108 < 1060502 < 1834059 < 5100293 < 7210591

So, ascending order of given numbers is:

653108, 1060502, 1834059, 5100293, 7210591



Ask the children to stand in a descending order by their roll numbers.

Example 3: Arrange the following numbers in descending order:

32659, 2926542, 856492, 9862952, 28695

Solution : Arrange these numbers in a place value chart:

TL	L	T-Th	Th	Н	Т	0
		3	2	6	5	9
2	9	2	6	5	4	2
	8	5	6	4	9	2
9	8	6	2	9	5	2
		2	8	6	9	5

Clearly,


9862952 > 2926542 > 856492 > 32659 > 28695

So, descending order of given numbers is:

9862952, 2926542, 856492, 32659, 28695







8340251, 2856495, 4462593, 3406820, 1050608

Solution : Arrange these numbers in a place value chart:

TL	L	T-Th	Th	Н	Т	0
8	3	4	0	2	5	1
2	8	5	6	4	9	5
4	4	6	2	5	9	3
3	4	0	6	8	2	0
1	0	5	0	6	0	8

Clearly,

8340251 > 4462593 > 3406820 > 2856495 > 1050608

So, descending order of given numbers is:

8340251, 4462593, 3406820, 2856495, 1050608



1. Arrange the following numbers in ascending order:

- (a) 28652, 1296482, 20359, 786421, 8906542
- (b) 764259, 305912, 83386, 2864951, 9721600
- (c) 32862, 43702, 864295, 984658, 29075
- (d) 8420596, 3456203, 59651, 289345, 127890
- (e) 432595, 205962, 110465, 831025, 734265
- (f) 335546, 232105, 106259, 789650, 983459

2. Arrange the following numbers in descending order:

- (a) 28659, 129659, 206542, 3065986, 30765
- (b) 73652,834590,76345,3012349,7349830
- (c) 24685, 983456, 70029, 134569,7432659
- (d) 8465429, 9640590,34596,7502869, 576089
- (e) 721253, 8210659, 101059, 554051, 625981
- (f) 430596, 1203462, 764210, 9834059, 3840024







Answer the following:

- 1. Write the number 100 more than 35900.
- 2. Write the greatest number that can be formed using the digits 0,1,2,3,4,5.
- 3. Find the place value of 5 in 17,581. _____
- 4. What is the successor of 5876?



Materials required: Paper sheet and a pencil

Steps:

- 1. Write all the alphabet in order.
- 2. Assign each alphabet a code. These codes may follow a pattern.

Α	В	С	D	Е	F	G	Н	I	J	K	L	M
1	2	3	4	5	6	7	8	9	10	11	12	13
N	0	Р	Q	R	S	Т	U	V	W	X	У	Z
14	15	16	17	18	19	20	21	22	23	24	25	26

- 3. Make a group of two students each, and one of the student from the pair will write a word.
- 4. The partner will develop a number for the given word through assigned codes.
- 5. Now, the other pair will read and write that number.

Example: The given word is CARE

C - 3 A - 1

R - 18

E - 5

The secret code for given word is 31,185.







By the end of this lesson, students will be able to:

- Learn how to count using Roman numerals.
- · Solve simple maths problems using Roman numerals.
- · Create charts of Roman numerals and their Arabic equivalents.



Complete the cross number using Hindu- Arabic numerals.

a —	Ь		c ↓			
					d	1
		e —				
	f			g —		
h 👃		i —	j 👃			
			k —			

Across	Down
(a) X + IV	(b) L - X
(c) LX + I	(C) LX + VI
(e) XX + XI	(d) CX + VI
(f) L + XXVII	(h) LXXX + II
(g) XL + VI	(J) XL + IX
(i) L + IV	
(k) XC + V	



Ask the children to write their birth date in Roman numbers.







In the class III, we have learnt roman numbers upto XL (40).

Roman Numbers From I	(1) to C	(100).
----------------------	----	--------	--------

			TIDE STITE			<i></i>	
Hindu-	Roman	Hindu-	Roman	Hindu-	Roman	Hindu-	Roman
Arabic	Numerals	Arabic	Numerals	Arabic	Numerals	Arabic	Numerals
Numerals		Numerals		Numerals		Numerals	
1	I	26	XXVI	51	LI	76	LXXVI
2	II	27	XXVII	52	LII	77	LXXVII
3	III	28	XXVIII	53	LIII	78	LXXVIII
4	IV	29	XXIX	54	LIV	79	LXXIX
5	V	30	XXX	55	LV	80	LXXX
6	VI	31	XXXI	56	LVI	81	LXXXI
7	VII	32	XXXII	57	LVII	82	LXXXII
8	VIII	33	XXXIII	58	LVIII	83	LXXXIII
9	IX	34	XXXIV	59	LIX	84	LXXXIV
10	X	35	XXXV	60	LX	85	LXXXV
11	XI	36	XXXVI	61	LXI	86	LXXXVI
12	XII	37	XXXVII	62	LXII	87	LXXXVII
13	XIII	38	XXXVIII	63	LXIII	88	LXXXVIII
14	XIV	39	XXXIX	64	LXIV	89	LXXXIX
15	XV	40	XL	65	LXV	90	XC
16	XVI	41	XLI	66	LXVI	91	XCI
17	XVII	42	XLII	67	LXVII	92	XCII
18	XVIII	43	XLIII	68	LXVIII	93	XCIII
19	XIX	44	XLIV	69	LXIX	94	XCIV
20	XX	45	XLV	70	LXX	95	XCV
21	XXI	46	XLVI	71	LXXI	96	XCVI
22	XXII	47	XLVII	72	LXXII	97	XCVII
23	XXIII	48	XLVIII	73	LXXIII	98	XCVIII
24	XXIV	49	XLIX	74	LXXIV	99	XCIX
25	XXV	50	L	75	LXXV	100	С



Facts to Know

Roman Numerals were invented as a means of trading.

Mathematics-4 27







another symbol, then you add it to the symbol before it. For example, VI = 6 since V = 5 and I = 1.



Rule 1 : Repetition of a roman number means addition.

For example, III = 1 + 1 + 1 = 3

XX = 10 + 10 = 20

Note: Symbols V, L and D can never be repeated.

Rule 2 : When a smaller number is written on the right of a larger number,

we add smaller to the larger one.

For example, VII = 5 + 1 + 1 = 7

XI = 10 + 1 = 11

XV = 10 + 5 = 15

LX = 50 + 10 = 60

Rule 3 : When a smaller number is written on the left of a larger number, we subtract smaller from the larger one.

For example, IV = 5-1 = 4

IX = 10 - 1 = 9

XL = 50 - 10 = 40

XC = 100 - 10 = 90

Rule 4 : When a smaller numeral is placed between the two larger numerals,

then the smaller numeral is always subtracted from the larger

Mathematics

numeral immediately following it.

For example: XIV = 10 + (5 - 1) = 14

XIX = 10 + (10 - 1) = 19

XXIX = 10 + 10 + (10 - 1) = 29

XLIX = (50 - 10) + (10 - 1) = 49





Solved Examples

Example 1: Write the roman numerals for the following Hindu-Arabic numerals:

- 56 (a)
- (b) 88
- (c) 73
- (d) 92

Solution (a) 56 50 + 6

= LVI

- = 80 + 8(b) 88
 - LXXXVIII
- = 70 + 3(c) 73
 - LXXIII
- = 90 + 2(d) 92
 - = XCII





Think Wisely

Hey! I am a roman number.

I am X years old and my friend is 2 years older than me. So, tell my friend's age in roman numbers.



exercise 2.1

- Write the Roman numerals for each of the following Hindu-Arabic numerals: 1.
 - (a) 19
- (b) 48
- (c) 64
- (d) 59

- (e) 70
- (f) 99
- (q) 500
- (h) 1000
- Write the Hindu-Arabic numerals for each of the following Roman numerals: 2.
 - (a) C
- (b) LIX
- (c) XXIII
- (d) LXXXVI

- (e) XCVIII (f) LXXVII
- (q) LXII
- (h) XL
- Compare (> or <) the following Roman numerals: 3.
 - (a) XXXVI



VIXXX

(b) LXV




XLVIII











Mathematics-4



Answer in one word.

- 1. Convert 56 into roman numerals.
- 2. What will be the result of 18 x 3 14 in roman numerals?
- 3. In roman numerals, what is the sum of LXIV and XXVI? _____
- 4. Which is greater IV or X? _____



Materials required: Paper and a pencil

Steps:

Few addition equations have been given. Check whether these are right or wrong. If there is any mistake, correct it and write the reason for it.

Equation	Correction	Reason
1. II + II = VI	II + II = IV	When a smaller letter is placed on the left of the bigger number, it means subtraction. Hence, the correct way of writing 4 in roman is IV
2. L + V = LIIIII		
3. XX + X = XXVV		
4. V + IV = IX		





Addition



Learning Objectives

By the end of this lesson, students will be able to:

- Add numbers upto 7 digits.
- · Solve addition story sums.
- Know the place values of the numbers to ten Lakhs.
- Use the addition principles to frame story sums.




Warm-Up Count and write the total number of dots.

Add blue dots with green.-

Add green dots with red. - _____

Add blue, green and red dots. - _____







In class III, we have learnt the addition of numbers upto 4-digits.

Now, we will extend it upto 7-digits



Solved Examples

Addition Without Carry

Example 1: Add: 103731, 235014 and 440253

Solution :

	L	T-TI	n Th	Н	Т	0
	1	0	3	7	3	1
	2	3	5	0	1	4
+	4	4	0	2	5	3
	7	7	8	9	9	8

Steps:

Step 1 : Add ones 1 + 4 + 3 = 8 ones

Step 2 : Add tens 3 + 1 + 5 = 9 tens

Step 3 : Add hundreds 7 + 0 + 2 = 9 hundreds

Step 4 : Add thousands 3 + 5 + 0 = 8 thousands

Step 5 : Add ten thousands 0 + 3 + 4 = 7 ten thousands

Step 6 : Add lakhs 1+2+4=7 lakhs

Sum = 778998



Ask kids to add the total number of alphabet in their names to the total alphabet in their friend's name.









Example 2: Add: 4351062, 1210513, 3010202 and 1400021

Solution

	TL	L	T-Th	Th	Н	Т	0
	4	3	5	1	0	6	2
	1	2	1	0	5	1	3
	3	0	1	0	2	0	2
+	1	4	0	0	0	2	1
	9	9	7	1	7	9	8



Steps:

Step 1 : Add ones 2 + 3 + 2 + 1 = 8 ones

Step 2 : Add tens 6 + 1 + 0 + 2 = 9 tens

Step 3 : Add hundreds 0+5+2+0=7 hundreds

Step 4 : Add thousands 1 + 0 + 0 + 0 = 1 thousands

Step 5 : Add ten thousands 5+1+1+0=7 ten thousands

Step 6 : Add lakhs 3 + 2 + 0 + 4 = 9 lakhs

Step 7 : Add ten lakhs 4+1+3+1=9 ten lakhs

Sum = 9971798



Example 3: Add: 364291, 283723 and 786928

Solution :

	L	T-TI	h Th	Н	T	0
	2	1	1	1	1	
	3	6	4	2	9	1
	2	8	3	7	2	3
+	7	8	6	9	2	8
1	4	3	4	9	4	2



Normally, while doing calculations we do not write place value headings.

Steps:

Step 1 : Add ones

1 + 3 + 8 = 12 ones

= 1 ten + 2 ones

(write carry 1 to the tens column and 2 under ones column)



Step 2 : Add tens

1 (carried) + 9 + 2 + 2 = 14 tens

= 1 hundred + 4 tens

(write 1 carry to the hundreds column and 4 under tens column)

Step 3 : Add hundreds

1 (carried) + 2 + 7 + 9 = 19 hundreds

= 1 thousand + 9 hundreds

(write 1 carry to the thousands column and 9 under hundreds column)

Step 4 : Add thousands

1 (carried) + 4 + 3 + 6 = 14 thousands

= 1 ten thousand + 4 thousands

(write 1 carry to the ten thousands column and 4 under thousands column.)

Step 5 : Add ten thousands

1 (carried) + 6 + 8 + 8 = 23 ten thousands

= 2 lakhs + 3 ten thousands

(write 2 carry to the lakhs column and 3 under ten thousands column)

Step 6 : Add lakhs

2 (carried) + 3 + 2 + 7 = 14 Lakhs

= 1 ten lakh + 4 lakhs

(write 14 under lakhs column)

Sum = 1434942

Example 4: Add: 384651, 1240259, 904259 and 425627

Solution :

	TL	L	T-Th	Th	Н	T	0
	1	1	1	1	1	2	
		3	8	4	6	5	1
	1	2	4	0	2	5	9
		9	0	4	2	5	9
+		4	2	5	6	2	7
	2	9	5	4	7	9	6



Step 1 : Add ones

1 + 9 + 9 + 7 = 26 ones

= 2 ten + 6 ones

(write carry 2 to the tens column and 6 under ones column)



Mathematics-4





Step 2 : Add tens

2 (carried) + 5 + 5 + 5 + 2 = 19 tens

= 1 hundred + 9 tens

(write 1 carry to the hundreds column and 9 under tens column)

Step 3 : Add hundreds

1 (carried) + 6 + 2 + 2 + 6 = 17 hundreds

= 1 thousand + 7 hundreds

(write 1 carry to the thousands column and 7 under hundreds column)

Step 4 : Add thousands

1 (carried) + 4 + 0 + 4 + 5 = 14 thousands

= 1 ten thousand + 4 thousands

(write 1 carry to the ten thousands column and 4 under thousands column.)

Step 5 : Add ten thousands

1 (carried) + 8 + 4 + 0 + 2 = 15 ten thousands

= 1 lakhs + 5 ten thousands

(write 1 carry to the lakhs column and 5 under ten thousands column)

Step 6 : Add lakhs

1 (carried) + 3 + 2 + 9 + 4 = 19 lakhs

= 1 ten lakh + 9 lakhs

(write 1 carry to the ten lakhs column and 9 under lakhs column)

Step 7 : Add ten lakhs

1 (carried) + 1 = 2 ten Lakhs

(write 2 under ten lakhs column)

Sum = 2954796



Example 5: Find the missing digits:

	7	2		5
		6	2	2
+	3		9	1
1	2	6	5	



Facts to Know

Additions were first devised by Brahmagupta of India. This was known during medieval Europe as "Modus Indorum" or Method of the Indians.



Solution : Add ones:

5 + 2 + 1 = 8 ones

Add tens:

2 + 9 = 11 tens = 1 hundred + 1 ten

But, in the sum there are 5 tens

.. Missing digit must be 4.

Add hundreds:

1 + 2 + 6 = 9 hundreds

But, in the sum there are 6 hundreds


.. Missing digit must be 7 with carried over 1.

Add thousands:

1 + 7 + 3 = 11 thousands = 1 ten thousand + 1 thousand

But, in the sum there are 2 thousands

.. Missing digit must be 1.



3

5

Mathematics-4

exercise 3.1

1. Add:

(b) 7 6 5 2 + 2 3 4 7

(d) 2 8 7 6 9 5 4 3 2 0 2 + 9 7 0 8 2 5

5 (f) 8 3 3 4 0 7 7 5 6 9 8 3 2 8 1 4 9 8 7 6 2





2. Arrange the following numbers in columns and then find the sum:

- (a) 734562, 235973, 186429
- (b) 934562, 734009, 5462
- (c) 8346562, 9264, 98395, 10645
- (d) 228465, 746625, 7326, 9834
- (e) 36125, 421020, 13596, 73102
- (f) 54320, 731021, 71020, 240219



3. Fill the missing digits:

4. Find the sum of the largest 4-digit number and smallest 5-digit number.



1. Order Property of Addition:

If any two numbers are added in any order, then their sum remains the same.

For example, 43562 + 28395 = 71957

28395 + 43562 = 71957

So, 43562 + 28395 = 28395 + 43562

2. Grouping Property of Addition:

If three or more numbers are added in different groups, then their sum remains the same in all cases.

$$(342 + 242) + 179 = 342 + (242 + 179)$$

584 + 179 = 342 + 421

763 = 763

















Mathematics-4



3. Additive Property of Zero

When zero is added to a number, then the value of the number does not change.

For example,

$$46528 + 0 = 46528$$

$$0 + 76459 = 76459$$



When one is added to a number, then it gives the successor of the number as its sum.

For example,

$$7342 + 1 = 7343$$



1. Fill in the blanks:

- (a) 7642 + 9683 = + 7642
- (b) 10289 + 25468 = 25468 +
- (c) $(38594 + 28679) + 34702 = \dots + (28679 + 34702)$
- (d) 28679 + (54709 + 87679) = (28679 +) + 87679
- (e) 76429 + = 76429
- (f) + 28762 = 28762
- (g) 48679 + 0 =



Quick Tip

Use the compensation method for adding large numbers, "Compensation" is where you round up a number (to make adding easier) and then take away the extra after you have added.

Mathematics-4

For e.g.

5992 + 126

=6000 + 126

= 6126 - 8

= 6118

0. 1







Solved Examples

Example 1: There are 48651 men, 34605 women and 29586 children in a town.

What is the population of that town?

Solution Carry Number of men 4 8 6 5 1

> Number of women 3 4 6 0

2 9 5 8 Number of children

Total population of a town =

Hence, the total population of that town is 1,12,842. There are 10569 computer books, 36642 mathematics books, 28469 Example 2:

hindi books and 48679 english books in a school library. What is the

1 2 8 4

total number of books in the school library?

Solution

carry Number of computer books

Number of mathematics books =

Number of hindi books

Number of english books 6 7


3 5 Total number of books

Hence, the total number of books in the school library is 1,24,359.

Example 3: A refrigerator manufacturing factory produced 28465 refrigerators in January, 43509 refrigerators in February and 70402 refrigerators in March. How many refrigerators did the factory produce altogether in these three months?









Solution : Number of refrigerators produced in January =

Number of refrigerators produced in February=

Number of refrigerators produced in March

Total number of refrigerators produced in

these three months

2 8 4 6 5

4 3 5 0 9

+ 7 0 4 0 2

1 4 2 3 7 6

Hence, the total number of refrigerators produced in these three months is 1,42,376.

Framing Word Problems

Framing word problem means to design or write the word problem according to the given facts.

Example 4: Frame the word problems for each of the following addition facts:

- (a) 2652 + 3879 = 6531
- (b) 18260 + 54389 = 72649
- Solution:
- (a) Rajat spent ₹ 2652 and Sona spent ₹ 3879 on shopping. How much money did they both spend together?
- (b) Shreya purchased a tablet costing ₹ 18260 and a notebook costing ₹ 54389. How much money did she spend in all?

Think Wisely

Aakash's age is more than 25 years, but less than 30 years. His age is in an odd number and is a multiple of 3.

Aakash is 25 + _____ years old.

exercise 3.3

Solve the following word problems:

- 1. A factory produced 28679 cold-drinks in January. 30729 cold-drinks in February and 19809 cold-drinks in March. How many cold-drinks did the factory produced altogether in these three months?
- 2. A number exceeds 1280596 by 4829. What is the number?





- 00.
- 3. Mr. Verma deposits ₹ 18,620, ₹ 30,500 and ₹ 80,000 in the bank in three successive weeks. How much money does he deposit in the bank in these three successive weeks?
- 4. Raj travels 86,430 km by aeroplane, 50,589 km by train and 30,469 km by helicopter. How much distance did he cover altogether?
- 5. Mr. Bansal spent ₹ 42,500 on LED, ₹ 40,560 on laptop and ₹ 42,999 on mobile phone. How much money did he spend in all?
- 6. In an examination, 42569 students passed. If the number of failures be 10425, find the number of students who appeared in the examination.
- 7. Frame the word problems for each of the following addition facts:

(a) 2867 + 59463

= 62330

(b) 15970 + 38999 + 28050


= 83019

(c) 10967 + 59000 + 2817

= 72784



Solve the puzzle.





Across	Down				
(a) 83457 + 0	(b) 4284 + 1				
(d) 1 + 508	(c) successor of 99998				
(e) 62776 + 100	(e) 587476 + 100000				
(f) 534768 + 1	(g) 67777 + 10000				
(h) 455457 + 1000	(i) 32547 + 564 = + 32547				
(j) 74770 + 10					



Materials required: 2 Sets of number cards from 0 to 9.

Steps:

- 1. The teacher will divide the class into groups of five students.
- 2. Shuffle the number cards. Students will take turns drawing a card each.
- 3. The group will make a 5 digit number from it.
- 4. Repeat the above steps with another group.
- 5. Now, the groups will add these 2 numbers.
- 6. The group will be able to add up the numbers first will be the winner.

Example Group 1: 64321









Subtraction



Learning Objectives

By the end of this lesson, students will be able to:


- · Subtract numbers upto 7 digits.
- · Apply the property of subtraction to solve story sums.
- · Use borrowing methods to subtract.



Count the number of objects in the box and take away the odd object.











Ask the kids to add up the number of pages of any 5 books they have and deduct the number of pages given in their Maths book.

Mathematics-4







In class III, we have learnt the subtraction of numbers upto 4-digits.

Now, we will extend it upto 7-digits.





The greater number is called minuend.

The smaller number is called subtrahend.

The result obtained after the subtraction is called difference.

Solved Examples



Example 1 : Subtract:

34052 from 56387



















Solution:

Т	-Th	Th	Н	T	0	
	5	6	3	8	7	— Minuend
-	3	4	0	5	2	Subtrahend
	2	2	3	3	5	Difference

Steps:

Step 1 Subtract ones

7-2 = 5 ones

Step 2 Subtract tens

8-5 = 3 tens

Step 3 Subtract hundreds

3 - 0 = 3 hundreds

Subtract thousands step 4

6-4 = 2 thousands

Subtract ten thousands Step 5

5-3 = 2 ten thousands

Difference = 22335



362015 from 974056

Solution:

	L	T-Th	Th	Н	T	0	
	9	7	4	0	5	6 🕶	— Minuend
-	3	6	2	0	1	5 🕶	Subtrahend
	6	1	2	0	4	1 🕶	— Difference

Steps:

Step 1 Subtract ones

6-5 = 1 ones

Step 2 Subtract tens

5-1 = 4 tens

Step 3 Subtract hundreds

0-0 = 0 hundreds

Subtract thousands step 4

4-2 = 2 thousands

Step 5 Subtract ten thousands

7-6 = 1 ten thousands











 $9 - 3 = 6 \, lakhs$

:. Difference = 612041





When we borrow 1 from next higher unit, we borrow 10 units of smaller units.

Example 3: Subtract: 384675 from 573051

Solution :


Check

5 Subtrahend 3 8 6 7 6 Difference 3 7 1 8 8 5 1 Minuend 7 3 0 5

:. Difference = 188376

Example 4: Subtract: 324658 from 704259

Solution





Check

Subtrahend + Difference = Minuend

8 Subtrahend 4 5 3 2 6 3 7 0 1 Difference 9 6 9 Minuend 7 0 4 2 5

:. Difference = 379601





Example 5: Find the missing digits.

	8		6	5
-	7	3		2
		4	8	

Solution : Subtract ones

$$5 - 2 = 3$$

Missing digit must be 3.

Subtract tens

Minuend < difference (6 < 8)

 \therefore Borrowing 1, 16 - 8 = 8.

Missing digit must be 8.

Subtract hundreds

1 has been given away from minuend.

 \therefore Missing digit = 4 + 3 + 1 = 8

Subtract thousands

$$8 - 7 = 1$$

Missing digit must be 1.

Find the missing subtrahend: Example 6:

6 16 7 8 4 8	¹² ← Minuend
-	Subtrahend
3 8 0 5	6 ← Difference

We know that, Solution

Minuend-Difference = Subtrahend

7	6	4	8	2	Minuend
- 3	8	0	5	6	→ Difference
3	8	4	2	6	← Subtrahend

: Missing Subtrahend = 38426



Facts to Know

Early use of the minus sign that we use today was discovered in a German manuscript dating from 1481. After studying this manuscript, Johannes Widman published his book Mercantile Arithmetic, using the minus sign to indicate subtraction.

	8	8	6	5
-	7	3	8	2
	1	4	8	3





Example 7: What number is 2065 less than 38406?

Solution : Required number

= 38406 - 2065

= 36341

		3	10	
3	8/	4	0	6
-	2	0	6	5
3	6	3	4	1

Example 8: What number should be added to 28765 to get 48000?

Solution : Required number


= 48000 - 28765

= 19235


	3	17	9	9	10
	4	781	ØØ ;	¹⁰ 0	Ø
-	2	8	7	6	5
	1	9	2	3	5



1. Subtract:







7	6	0	0	4	2
- 3	9	7	6	8	3

2. Find the difference:

- (a) Minuend = 980056,
- (b) Minuend = 740265,
- (c) Minuend = 840052,
- (d) Minuend = 556172,

Subtrahend = 794868

(f)


- Subtrahend = 365432
- Subtrahend = 109831
- Subtrahend = 296459


0. 1.9






Fill the missing digits:






4. Fill the missing subtrahend:






- 5. What number is 1028 less than 54652?
- 6. What number is 4020 less than 38465?
- 7. What number should be added to 128645 to get 734021?
- 8. What number should be added to 384659 to get 400295?


Properties of Subtraction



For example,



For example,



For example,









1. Fill in the blanks:

- 4395 = 4395 (a)
- 7695 = 0 (b)
- 28965 = 0 (c)
- 38729 38729 = _____ (d)
- 5402 1 = (e)
- (f) 63495 - = 63494



Solved Examples




him?

7 9 10 Solution : Total money with Mr. Sharma = 78000

> Money spent by Mr. Sharma - ₹ 56980

> Money left with him ₹ 21020

So, Mr. Sharma has left with ₹ 21,020



find the other number.

6 15 5 13 12 **7 5 6 4 2** Solution Sum of two numbers

> One number 37465

Other number 38177

So, the other number is 38,177

Example 3: The price of a desktop is ₹ 25,540 and that

of a laptop is ₹ 32,250. Which costs more

and by how much?





















Windows

The price of a desktop = ₹ 25,540

The price of a laptop = ₹ 32,250

Clearly, 32,250 > 25,540.


.. The laptop costs more than the desktop.


Difference in their prices

11 12 = ₹(32250 **-** 25,540)

₹ 25540

= ₹ 6710





Framing Word Problems

Example 4: Frame the word problems for the following subtraction facts:

- 5649 2899 = 2750 (a)
- (b) 9000 - 4000 = 5000
- Rakhi's mother gave her ₹ 5649. She spent ₹ 2899. How much Solution : (a) money is left with her?
 - Mr. Kush have to travel 9000 km. He covered 4000 km. How (b) much distance he has to travel now?



Out of 32708 voters on the list, only 27269 voters

_____ voters did not participate in the election. voted.



Solve the following word problems:


- Mr. Bansal earns ₹ 9,86,700 per year. He spends ₹ 58,800. How much money 1. did he save?
- There are 9872 passengers in a train. 4895 of them got down at one station. 2. How many passengers are left in the train?
















- 4. The sum of two numbers is 76429. If one number is 3864, find the other number.
- 5. By how much 20567 is more than 12587?
- 6. The population of a town was 3840. If there was 1800 men and 1200 women, then find the number of children in that town.
- 7. The sum of two numbers is 20569. If one number is 5042, find the other number.
- 8. Frame the word problems for each of the following subtraction facts:

(a) 3876 - 2894 = 982

(b) 76459 - 50806 = 25653

(c) 28965 - 10432 = 18533

(d) 5000 - 2000 = 3000

(e) 40205 - 20200 = 20005





A. Tick the correct answers:

- 1. 90000 1 = _____
 - a. 89900

b. 89990

c. 89991

- d. 89999
- 2. Do a quick estimate to check which of the following is more than 4000.
 - a. 5555-1266

b. 4125-555

c. 7345-3506

d. 9985-7657









90. S

B. Fill in the blanks:

- 1. The difference between the smallest 5-digit number and the largest 4-digit number is
- 2. 45521- ____ = 45421



Materials required: Spike abacus with 4 spikes and four different coloured beads (many beads of each colour)


Steps:

- 1. This activity will be done in groups of 7 to 8 children.
- 2. Each group will be given a spike abacus and many different coloured beads.
- 3. The teacher will write a subtraction sum on the blackboard.

For Example: 8786 - 5453. The student will put the beads as per the first number, i.e. 8786 on the abacus.

- 4. Then, another student will remove the beads from those on the abacus as per the second numbers, i.e. 5453. So, the number of beads left is 3333.
- 5. The result will be noted be 8786 5453 = 3333.
- 6. All the beads will then be removed.
- 7. The teacher will write on the blackboard 5453 and 3333 and ask the children to add to find out if subtraction is correct or not.
- 8. The student will put the beads on the abacus as per the first number which is 5453.
- 9. Another student will add more beads as per the second number which is 3333.
- 10. The result will be noted as 5453 + 3333= 8786.
- 11. The subtraction sum is thus verified.

More such problems will be given and solved.









By the end of this lesson, students will be able to:

- Apply properties of multiplication.
- · Know how to multiply numbers with more than two digits and different numbers of digits.
- · Frame story sums based on multiplication.



I have 5 boxes. If I put 25 apples in each box, how many apples do I have? _





























In class III, we have learnt the multiplication of a given number by a number consisting upto two digits.

Now, we will extend the multiplication of a given number by a number consisting upto 3-digits.



The number to be multiplied is called multiplicand.



The number by which we multiply is called multiplier.

The result obtained after the multiplication is called product.

Let us first learn some of the properties of multiplication.



Properties of Multiplication

1. Multiplication Property of Zero:

The product of a number by zero is always zero.

For example,

 $0 \times 0 = 0$

 $73 \times 0 = 0$

 $279 \times 0 = 0$

 $7642 \times 0 = 0$





2. Multiplication Property of One:

The product of a number by 1 is the number itself.

For example,

$$28 \times 1 = 28$$

$$173 \times 1 = 173$$

$$2867 \times 1 = 2867$$



3. Ordering Property of Multiplication (Commutative Property):

The product of the two numbers does not change even if we change the order of the numbers.

For example,

$$2 \times 76 = 76 \times 2 = 152$$

4. Grouping Property of Multiplication (Associative Property):

The product of the numbers does not change even if we change the groupings.

For example,

$$(2 \times 5) \times 8 = 2 \times (5 \times 8)$$

$$10 \times 8 = 2 \times 40$$

So,
$$(2 \times 5) \times 8 = 2 \times (5 \times 8)$$



This property is used for multiplying large numbers.

According to this property, the product of a sum of two or more numbers and a given number is equal to the sum of the individual products of the numbers forming the sum and the given number.

For example,

$$2 \times (5 + 6) = (2 \times 5) + (2 \times 6)$$

So,
$$2 \times (5 + 6) = (2 \times 5) + (2 \times 6)$$



Ask the students to multiply their birthdate by the sum of their teacher's and their partner's birthdates.







Multiplication by 10, 100, 1000 etc.

1. To multiply a given number by 10, insert one zero to the right of the given number.

For example:

$$425 \times 10 = 4250$$

2. To multiply a given number by 100, insert two zeros to the right of the given number.

For example,

3. To multiply a given number by 1000, insert three zeros to the right of the given number.

For example,

Multiplication by 20, 30,...90

In order to multiply a number by 20, 30, \dots 90, first multiply the number by 2, 3, \dots 9 and then insert one zero to the right of the product.

For example,

$$= (764 \times 3) \times 10$$

Multiplication by 200, 300,...900

In order to multiply a number by 200, 300,...900, first multiply the number by 2,3,...9 and then insert two zeros to the right of the product.

For example,

$$285 \times 500$$

$$= (285 \times 5) \times 100$$







In order to multiply a number by 2000, 3000, ...9000, first multiply the number by 2,3,...9, and then insert three zeros to the right of the product.

For example,

- $= (2865 \times 4) \times 1000$
- = 11460 × 1000
- = 11460000

Solved Examples

Example 1:

Use suitable grouping to find the following products:

- (a) $4 \times 16 \times 25$
- (b) $5 \times 86 \times 20$

Solution

(a) $4 \times 16 \times 25$

$$= (4 \times 25) \times 16$$

 $= 100 \times 16$

= 1600

(b) $5 \times 86 \times 20$

$$= (5 \times 20) \times 86$$

 $= 100 \times 86$

= 8600

Example 2:

Find the products of the following:

- (a) 29×90
- (b) 73 × 800
- (c) 285×6000
- (d) 732 × 7000



Quick Tip

Every multiplication has a twin, which may be easier to remember. For example, if you forget 15×11 , you might remember $11 \times 15 = 165$



Mathematics-4





Solution

(a)
$$29 \times 90$$

$$= (29 \times 9) \times 10$$

$$= (73 \times 8) \times 100$$

= 58400

(c)
$$285 \times 6000$$

$$= (285 \times 6) \times 1000$$

$$= 1710 \times 1000$$

(d)
$$732 \times 7000$$

$$= (732 \times 7) \times 1000$$

= 5124000



xercise5.1

1. Fill in the blanks:

(q)
$$\times$$
 7469 = 9969 \times 7469

(h)
$$289 \times (742 \times 365) = (\dots \times 742) \times 365$$





- (j) $17 \times (83 + 26)$ = $(17 \times) + (17 \times 26)$
- (k) $\times (42 + 53) = (12 \times 42) + (12 \times 53)$
- (I) $9 \times (16 + \dots) = (9 \times 16) + (9 \times 29)$
- (m) 429 × 10 =
- (n) × 100 = 386500
- (o) 295 × = 295000

2. Use suitable grouping to find the products of the following:

(a) $2 \times 465 \times 50$

(b) $5 \times 289 \times 20$

(c) $4 \times 125 \times 386$

(d) $25 \times 189 \times 4$

(e) 500 × 1296 × 2

3. Find the products of the following:

(a) 85×20

(b) 649 × 40

(c) 273 × 70

(d) 322 × 800

(e) 504 × 9000


(f) 2815×6000



Solved Examples

Example 1: Multiply 412 by 279

Solution



Another Method:

We have,
$$279 = 200 + 70 + 9$$

So,
$$412 \times 279 = 412 \times (200 + 70 + 9)$$



Mathematics-4






 $= 412 \times 200 + 412 \times 70 + 412 \times 9$

= 82400 + 28840 + 3708

= 114948

Example 2: Multiply 2467 by 124

Solution



∴ 2467 × 124 = 305908

Another Method:

We have, 124 = 100 + 20 + 4

So, $2467 \times 124 = 2467 \times (100 + 20 + 4)$

 $= 2467 \times 100 + 2467 \times 20 + 2467 \times 4$


= 246700 + 49340 + 9868

= 305908




1. Multiply:

(a)




(b)











(d) 7 6 4 2 × 3 5 6

(e) 8 4 6 × 5 9 4

A

(f) 2 4 0 × 1 5 3

(g) 5 6 2 9 × 3 0 2



7 6 4 2 × 9 7 2

(h)

2. Find the products of the following:

- (a) 365 by 349
- (b) 286 by 985
- (c) 2764 by 128
- (d) 9856 by 382
- (e) 3642 by 165
- (f) 1729 by 315
- (g) 5422 by 972
- (h) 5708 by 708



Facts to Know

The oldest known multiplication tables were used by the Babylonians about 4000 years ago.





Example 1: There are 545 mango trees in an orchard. Each mango tree has 295

mangoes. How many mangoes are there in the orchard?

Solution : Number of mango trees = 545

Number of mangoes on each tree = 295

Total number of mangoes in orchard = 545×295

				5	4	5
			×	2	9	5
			2	7	2	5
		4	9	0	5	0
+	1	0	9	0	0	0
	1	6	0	7	7	5



So, there are 1,60,775 mangoes in the orchard.

Example 2: A man purchased a calculator costing ₹ 245. What will be the cost of

2045 such calculators?

Solution : Number of calculators = 2045

Cost of 1 calculator = ₹ 245

Cost of 2045 calculators = ₹ (2045 × 245)

Г			2	0	4	5
L			×	2	4	5
		1	0	2	2	5
		8	1	8	0	0
+	4	0	9	0	0	0
	5	0	1	0	2	5



So, the cost of 2045 calculators is ₹ 5,01,025





Solution : Cost of an iron = ₹ 1245

Cost of 140 irons = ₹ (1245 × 140)

Г			1	2	4	5
			×	1	4	0
			0	0	0	0
		4	9	8	0	0
+	1	2	4	5	0	0
	1	7	4	3	0	0



Hence, the cost of 140 irons is ₹ 174300.

Framing Word Problems

Example 4: Frame the word problems for the following multiplication facts:

- (a) $285 \times 172 = 49020$
- (b) $3892 \times 246 = 957432$
- Solution : (a) A man purchased a box of chocolate costing ₹ 285. What is the cost of 172 such chocolate boxes?
 - (b) There are 3892 balls in a packet. How many balls are there in 246 such packets?



What is 'S' if $6 \times 4 = 3 \times 5$?



Solve the following word problems:

- 1. Mr. Gupta earns ₹ 9000 per month. How much will he earn in 112 months?
- 2. A book shelf contains 542 books. How many books will be there in 246 such book shelves?







- 3. The cost of a refrigerator is ₹ 7842. What is the cost of 286 such refrigerators?
- 4. A train carries 2869 passengers in a day. How many passengers will it carry in a year?

Hint: Take 1 year = 365 days


- 5. A packet contains 3640 marbles. How many marbles are there in 450 such packets?
- 6. The cost of washing machine is ₹ 5439. Find the cost of 124 such washing machines?
- 7. The cost of a tablet is ₹ 17,511. Find the cost of 236 such tablets.
- 8. Frame the word problems for the following multiplication facts:
 - (a) $234 \times 765 = 179010$
 - (b) 986×205 = 202130
- 9. Multiply the largest 4-digit number by the largest 3-digit number.



Answer the following:

- 1. What is the product of all the numbers in the dial of a telephone?
- 2. (91 × 101) × 1,321 = 91 × (_____ × 1,321)
- 3. How many minutes are there in the month of May?
- 4. Find the cost of 175 transistors if each transistor costs 500? _____







Materials required: Cards with multiplication sentences written on it.

Steps:

- 1. The teacher will write multiplication sentences on the cards.
- 2. One student from each pair will select one card randomly.
- 3. Let's say one pair has selected 48×36 .
- 4. One student will solve it on the board as follows:

- 5. While the other student of that pair will solve it as 36×48 in the notebook.
- 6. Accuracy and speed will be taken into account to award points to each student.





Division



Learning **Objectives**

By the end of this lesson, students will be able to:

- Determine that division is dividing objects into equal groups.
- Divide up to 4- digit numbers.
- Apply the properties of division to solve story sums.
- Check the answer of division.



Division means equal distribution or equal sharing of things.

If 45 chocolates are shared among 5 children, So how many chocolates will each child get?











Facts to Know

The division sign which we use was introduced by the Swiss mathematician, Johann Heinrich Rahn, in his work Teutsche Algebra (1659).



Mathematics-4









Division is the inverse or an opposite operation of multiplication.

The number which is to be divided is called dividend.



The number by which division is to be done is called divisor.

The number (or answer) obtained after carrying out the division is called quotient.

The number left in the end after the process of division which cannot be further divided is called remainder.

Lets first learn some of the properties of division.



2.

Properties of Division

1. If a number is divided by 1, then the quotient is the number itself.



$$24 \div 1 = 24$$









3. If a zero is divided by a non-zero number, then the quotient is zero For example,

$$0 \div 243 = 0$$

If a non-zero number is divided by zero, then it has no meaning.
 For example,

$$249 \div 0 = No meaning$$

Teacher's Note:

Ask the students to divide the total number of Sundays in their summer vacation by the sum of the current year, which is [2024]. Instruct them to write the remainder and quotient as well.



1. Fill in the blanks:

(a)
$$276 \div \dots = 276$$

(c)
$$462 \div ...$$
 = 1

(e)
$$\div 279 = 0$$

$$(g)$$
 = 580

- (i) If a non-zero number is divided by itself, then the quotient is
- (j) If a zero is divided by a non-zero number, then the quotient is

Division By 2-Digit And 3-Digit Numbers

Checking Division

Dividend = (Divisor × Quotient) + Remainder



Quick Tip

1

Remainder is always less than the divisor.





Solved Examples

Example 1 : Divide 226 by 12 and also check the answer.

Solution :

Step 1: As divisor is 2-digit number, take first two digits of dividend that

is 22.

22 > 12

Now, $12 \times 1 = 12$ and $12 \times 2 = 24$

Since, 12 < 22 and 24 > 22.

Thus, 12 goes into 12, 1 time.

Write 1 in quotient

Subtract 12 from 22 to get 10.

Bring down 6 to make 106.

Step 2: Now, $12 \times 8 = 96$ and $12 \times 9 = 108$

Since, 96 < 106 and 108 > 106

Thus, 12 goes into 106, 8 times.

Write 8 in quotient

Subtract 96 from 106 to get 10, as remainder.

: Quotient = 18

Remainder = 10

			1	8	
ر12	Γ	2	2	6	
-	-	1	2	<u> </u>	
		1	0	6	
		-	9	6	
			1	0	



CHECK

Dividend = (Divisor × Quotient) + Remainder

 $= (12 \times 18) + 10$

= 216 + 10

= 226

Thus, answer is verified.

	1	2	— Divisor
×	1	8	— Quotient
	9	6	
1	2	0	
2	1	6	
+	1	0	Remainder
2	2	6	Dividend
			_





Example 2 : Divide 6842 by 29 and also check the answer.

Solution :

Step 1: As divisor is 2-digit number, take first two digits of dividend that is 68.

Now, $29 \times 2 = 58$ and $29 \times 3 = 87$

Since, 58 < 68 and 87 > 68

Thus, 29 goes into 68, 2 times.

Write 2 in quotient

Subtract 58 from 68 to get 10.

Bring down 4 to make 104.

Step 2: Now, $29 \times 3 = 87$ and $29 \times 4 = 116$

Since 87 < 104 and 116 > 104

Thus, 29 goes into 104, 3 times.

Subtract 87 from 104 to get 17.

Bring down 2 to make 172.

Step 3: Now, $29 \times 5 = 145$ and $29 \times 6 = 174$

Since, 145 < 172 and 174 > 172


Thus, 29 goes into 145, 5 times.

Write 5 in quotient

Subtract 145 from 172 to get 27, as remainder.

Quotient = 235

Remainder = 27





CHECK

Dividend = (Divisor × Quotient) + Remainder

 $= (29 \times 235) + 27$

= 6815 + 27

= 6842

Thus, answer is verified.

— Quotient
— Divisor
Remainder
— Dividend





Example 3 : Divide 1742 by 43 and also check the answer.

Solution :

Step 1: As divisor is 2-digit number take first two digit of dividend that is 17. 17 < 43, so take next digit 4.

Now we divide

Now, $43 \times 4 = 172$

and $43 \times 5 = 215$

Since, 172 < 174 and 215 > 174.

Thus 43 goes into 174, 4 times.

Write 4 in quotient

Subtract 172 from 174 to get 2

Bring down 2 to make 22.


Step 2: Since, 22 < 43

which cannot be further divided, write 0 in quotient.

Subtract 0 from 22 to get 22 as remainder.

Quotient = 40

Remainder = 22





CHECK

Dividend = (Divisor × Quotient) + Remainder

 $= (43 \times 40) + 22$

= 1720 + 22

= 1742

Thus, answer is verified.

4 3	— Divisor
× 4 0	— Quotient
0 0	
1720	
1 7 2 0	
+ 2 2 -	Remainder
1742	— Dividend

Example 4 : Divide 2865 by 102 and also check the answer.

Solution :

Step 1: As divisor has 3-digits take first three digits of the dividend *i.e.* 286

286 > 102

Now, $102 \times 2 = 204$ and $102 \times 3 = 306$





Since, 204 < 286 and 306 > 286

Thus, 102 goes into 286, 2 times.

Write 2 in quotient

Subtract 204 from 284 to get 82.

Bring down 5 to make 825

Step 2: Now, $102 \times 8 = 816$ and $102 \times 9 = 918$

Since, 816 < 825 and 918 > 825 Thus, 102 goes into 825, 8 times.

Write 8 in quotient

Subtract 816 from 825 to get 9 as remainder.

Quotient = 28Remainder = 9

0	6	5
0	4	
8	2	5
8	1	6
		9
	0	0 4

CHECK

Dividend = (Divisor × Quotient) + Remainder

 $= (102 \times 28) + 9$

= 2856 + 9

= 2865

Thus, answer is verified.

	-	1	0	2	Divisor
		×	2	8	- Quotient
		8	1	6	
+	2	0	4	0	
	2	8	5	6	
			+	9	Remainder
	2	8	6	5	Dividend

Example 5 : Divide 78465 by 192 and also check the answer.

Solution :

Step 1: The divisor has 3-digits, so we take first 3-digits of the dividend, i.e.

784

784 > 192

Now, $192 \times 4 = 768$ and $192 \times 5 = 960$

Since, 768 < 784 and 960 > 784

Thus 192 goes into 784, 4 times.

Write 4 in quotient

Subtract 768 from 784 to get 16.

Bring down 6 to make 166.

			4	0	8
192	7	8	4	6	5
-	7	6	8		
		1	6	6	5
	-	1	5	3	6
			1	2	9





Step 2: Now, 166 < 192

So, put 0 in the quotient and bring down 5 to make 1665

Step 3: Now, $192 \times 8 = 1536$ and $192 \times 9 = 1728$

Since, 1536 < 1665 and 1728 > 1665

Thus, 192 goes into 1665, 8 times.

Write 8 in quotient

Subtract 1536 from 1665, to get 129, as remainder.

 \therefore Quotient = 408

Remainder = 129

CHECK


= (Divisor × Quotient) + Remainder Dividend

 $= (192 \times 408) + 129$

= 78336 + 129

= 78465

Thus, answer is verified.





Divide and also check the answer: 1.

- (a) 342 by 12
- (c) 1746 by 15
- (e) 38645 by 82

- 862 by 94 (b)
- 2862 by 43 (d)
- 27440 by 95 (f)

Find the quotient and remainder. Also verify the answers: 2.

- (a) 1896 by 146
- 3895 by 109 (c)
- (e) 92095 by 502

- 7042 by 459 (b)
- (d) 98645 by 729
- (f) 76405 by 812

























- Find the quotient and remainder, when:
 - Dividend = 4659, Divisor = 52 (a)
 - (b) Dividend = 98640, Divisor = 129
- Find the dividend, when: 4.
 - Quotient = 145, Divisor = 42, Remainder = 0 (a)
 - (b) Quotient = 29, Divisor = 15, Remainder = 12
 - Quotient = 231, Divisor = 56, Remainder = 102 (c)



Division By 10, 100 and 1000

If the divisor is 10, then the last digit (or ones place digit) of the dividend is 1. the remainder and the number formed by the remaining digits of the dividend is the quotient.

Examples: If 63 ÷ 10, then Quotient = 6, Remainder = 3

If 20 ÷ 10, then Quotient = 2, Remainder = 0

If 149 ÷ 10, then Quotient = 14, Remainder = 9

If 2842 ÷ 10, then Quotient = 284, Remainder = 2

If 4000 ÷ 10, then Quotient = 400, Remainder = 0

2. If the divisor is 100, then the last two digits (ones and tens place digits) of the dividend is the remainder and the number formed by the remaining digits of the dividend is the quotient.

Examples: If 986 ÷ 100, then Quotient = 9, Remainder = 86

If 700 ÷ 100, then Quotient = 7, Remainder = 0

If 2859 ÷ 100, then Quotient = 28, Remainder = 59

If 8302 ÷ 100, then Quotient = 83, Remainder = 2

If 76429 ÷ 100, then Quotient = 746, Remainder = 29

If the divisor is 1000, then the last three digits (ones, tens and hundreds 3. place digits) of the dividend is the remainder and the number formed by the remaining digits of the dividend is the quotient.



Examples: If 2853 ÷ 1000, then Quotient = 2, Remainder = 853

If 2000 ÷ 1000, then Quotient = 2, Remainder = 0

If 7640 ÷ 1000, then Quotient = 7, Remainder = 640

If 53429 ÷ 1000, then Quotient = 53, Remainder = 429

If 82058 ÷ 1000, then Quotient = 82, Remainder = 58



1. Find the quotient and remainder:

- (a) $245 \div 10$
- (c) $500 \div 10$
- (e) $342 \div 100$
- (q) 2709 ÷ 100
- (i) 7642 ÷ 1000
- (k) 83429 ÷ 1000

- (b) 740 ÷ 10
- (d) 7865 ÷ 10
- (f) 800 ÷ 100
- (h) 39025 ÷ 100
- (j) 9000 ÷ 1000
- (I) 102465 ÷ 1000



Word Problems

Example 1 : 2865 choclates have to be packed in 12 boxes. Each box contains

equal number of choclates. How many choclates will be there in

each box? How many choclates are left unpacked?

Solution : Number of choclates to be packed = 2865

Number of boxes = 12

Number of choclates in each box = $2865 \div 12$

: Quotient = 238

Remainder = 9



Thus, there will be 238 choclates in each box and 9 choclates are left unpacked.

			2	3	8	
ر12	Γ	2	8	6	5	
	_	2	4			
			4	6		
		-	3	6		
			1	0	5	
			_	9	6	
					9	

Mathematics-4

Example 2 There are 7342 birds brought in a zoo. If

there are 120 cages and each cage has equal number of birds, then how many birds are

there in each cage? How many birds are left?

Number of birds brought in a zoo = 7342 Solution

> Number of cages in a zoo = 120

= 7342 ÷ 120 Number of birds in each cage

Quotient = 61

Remainder = 22

Thus, there are 61 birds in each cage and 22 birds are left.

Example 3 The product of two numbers is 1092. If one

number is 26, find the other number.

Product of two numbers = 1092 Solution

> One number = 26

 $= 1092 \div 26$ Other number

Quotient = 42...

Remainder = 0

Thus, the other number is 42.

Framing Word Problems -

Example 4: Frame the word problems for the following division facts:

(a) 7465 ÷ 20 (b) 38426 ÷ 172

Solution: There are 7465 sweets is to be distributed among 20 (a) children. Each children will get equal number of sweets. How many sweets will each child get and how many sweets left?

> If there are 38426 chairs to be kept in 142 rows and each (b) row has equal number of chairs, then how many chairs will be kept in each row? How many chairs are left?









Solve the following word problems:

- 1. 3086 marbles were packed equally in 56 boxes. How many marbles were packed in each box? How many marbles were remain unpacked?
- 2. If the cost of 98 irons is ₹75,362, then what is the cost of each iron?
- 3. The product of two numbers is 1288. If one number is 23, find the other number.
- 4. A train covers 37440 km in 48 hours. How much distance does it cover in 1 hour?
- 5. 86429 mangoes were packed equally in 126 boxes. How many mangoes were packed in each box? How many mangoes were remain unpacked?
- 6. If the cost of 86 notebooks is ₹ 2236, what is the cost of each notebook?
- 7. 37392 pens were packed equally in 82 boxes. How many pens were packed in each box?
- 8. Frame the word problems for the following division facts:
 - (a) $7642 \div 29$
 - (c) 1248 ÷ 122
 - (e) 3845 ÷ 162

- (b) 346 ÷ 14
- (d) 76925 ÷ 543
- (f) $5062 \div 149$

Simplification Involving Fundamental Operations

As we know, there are four fundamental operations:
Addition, Subtraction,
Multiplication and Division.



O. 1 9



Sometimes, a problem may contain more than one operation at a time. In such cases, we have to use all the fundamental operations together. To solve such problems, we follow DMAS Rule.

DMAS stands for:

D for Division

M for Multiplication

A for Addition

S for Subtraction

Solved Examples

Example 1 : Simplify the following:

(a)
$$16 \times 5 + 2$$

(b)
$$12 \div 2 \times 6 + 5 - 3$$

(c)
$$92 + 5 \times 2 - 4 \div 2$$

(d)
$$7629 + 8435 \div 5 \times 3 - 80$$

Solution :

(a)
$$16 \times 5 + 2$$

$$= 80 + 2$$

= 82

(b) $12 \div 2 \times 6 + 5 - 3$

$$= 6 \times 6 + 5 - 3$$

= 36 + 5 - 3

= 38

= 41 - 3


(c) $92 + 5 \times 2 - 4 \div 2$

= 92 + 5 × 2 - 2

= 92 + 10 - 2

= 102 - 2

= 100



(Division,
$$12 \div 2 = 6$$
)

(Multiplication, $6 \times 6 = 36$)

(Addition, 35 + 5 = 41)

(Subtraction, 41 - 3 = 38)

(Division,
$$4 \div 2 = 2$$
)

(Multiplication, $5 \times 2 = 10$)

(Addition, 92 + 10 = 102)

(Subtraction, 102 - 2 = 100)







Mathematics-4

(d) $7629 + 8435 \div 5 \times 3 - 80$

 $= 7629 + 1687 \times 3 - 80$ (Division, $8435 \div 5 = 1687$)

= 7629 + 5061 - 80 (Multiplication, $1687 \times 3 = 5061$)

= 12690 - 80 (Addition, 7629 + 5061 = 12690)

= 12610 (Subtraction, 12690 - 80 = 12610)

Example 2 : Fill the boxes with appropriate symbols:

(a) 24 3 = 8 1 = 9 3 = 27 5 = 22

(b) 16 2 = 32 8 = 4 2 = 6 2 = 4

Solution : (a) $24 \div 3 = 8 + 1 = 9 \times 3 = 27 - 5 = 22$

(b) $16 \times 2 = 32 \div 8 = 4 + 2 = 6 - 2 = 4$

Think Wisely

Mr. John owns a neighbourhood grocery store. He has 56 oranges to arrange in rows for his window

display. He has 4 rows in her window.

How many oranges will there be in each row if he puts the same number in each row?







exercise 6.5

1. Simplify the following:

- (a) $249 + 6 4 \div 2 \times 13$
- (b) $18 \times 2 + 40 \div 4 6$
- (c) $7642 \times 2 2059 + 1400 \div 7$
- (d) $38462 + 10596 \div 2 \times 5 1102$
- (e) $50650 \div 5 \times 200 + 3426 1020$
- (f) $286 \times 12 \div 6 + 742 168$



- (a) 12 6 = 2 5 = 10 2 = 12 3 = 9
- (b) 5 4 = 20 2 = 10 6 = 4 3 = 7
- (c) 3 15 = 18 3 = 6 3 = 18 2 = 16
- (d) 20 5 = 15 3 = 45 9 = 5 5 = 10



Fill in the blanks:

- If twice of a number is 64, find the half of the number _____
- · When zero is divided by a non-zero number the quotient is _____.
- When a number is divided by 1, the quotient is the _____ itself.







Materials required:

- 1. Two white boards with markers.
- 2. 2 sets of chits with digits 0 to 9 written on them.
- 3. A set of playing cards.

Steps:

- 1. This activity will be carried out by dividing the children into 2 teams.
- 2. Each team will have a set of chits marked 0 to 9
- 3. Five chits will be taken out by each team, e.g. team A: 8,0, 3,4,2 and team B: 3, 6,9,5,1
- 4. Now, leader of each team draws a card from the pack. Let us say 'a nine' and 'a jack' (11).
- 5. Team A will work with the biggest dividend formed by the five digits. Team B will work with the smallest dividend formed by the five digits.
- 6. Team A has the divisor 9. Team B has the divisor 11 (jack).
- 7. Dividing correctly gets 5 marks.









Multiples And Factors



Learning Objectives

By the end of this lesson, students will be able to:

- Explain the relationship between factors and multiples.
- Take out LCM and HCF of the numbers given.
- Know about prime and composite numbers.
- · Solve problems involving factors and multiples.



Study the table below and complete the rows of multiples of numbers 1-8.

×	1	2	3	4	5	6	7	8	9	10
2	2	4				12		16		
3	3				15					
4	4									
5	5								45	
6	6									
7	7	14								
8	8									







The number obtained after the product of two given numbers is known as multiple of that numbers.

For example:

- (i) $7 \times 3 = 21$
 - \therefore 21 is a multiple of 7 and 3.
- (ii) $5 \times 2 = 10$
 - \therefore 10 is a multiple of 5 and 2.
- (iii) $6 \times 3 = 18$
 - \therefore 18 is a multiple of 6 and 3.
- (iv) $9 \times 7 = 63$
 - \therefore 63 is a multiple of 9 and 7.
- (v) $7 \times 5 = 35$
 - \therefore 35 is a multiple of 7 and 5.



Solved Examples

Example 1: Find the first five multiples of 2.

Solution : $2 \times 1 = 2$, $2 \times 2 = 4$, $2 \times 3 = 6$, $2 \times 4 = 8$, $2 \times 5 = 10$

Thus, 2, 4, 6, 8, 10 are the first five multiples of 2.

Example 2: Write the multiples of 5.

Solution : 5, 10, 15, 20, 25, 30, 35, and so on.

Example 3: Find the 8th multiple of 12.

Solution: 8th multiple of 12 = 12 × 8 = 96.





Example 4: Find the 4th multiple of 8.

Solution : 4th multiple of $8 = 8 \times 4$

= 32.

Example 5: Is 180 a multiple of 15?


Solution : Let's divide 180 by 15

Clearly, 180 is exactly divisible by 15.

Yes, 180 is a multiple of 15.

Example 6: Is 7462 a multiple of 32?

Solution: Let's divide 7462 by 32.





Clearly, 7462 is not exactly divisible by 32. Thus, 7462 is not a multiple of 32.

Example 7: Show that:

(a) 7465 is not a multiple of 23

(b) 725 is a multiple of 25.

Solution: (a) Let's divide 7465 by 23.





Clearly, 7465 is not exactly divisible by 23. Thus, 7465 is not a multiple of 23.

(b) Let's divide 725 by 25.





Properties of Multiples

1. Every number is a multiple of 1.

Examples:

Multiples of 1 are:

1, 2, 3, 4, 98, 99, 100, 101, 1000, 1001,, so on

2. Every non-zero number has unlimited number of multiples. Examples:

Multiples of 3 are:

3 , 6, 9, 12, 36, 39, 102, 105,

Multiples of 10 are:

10, 20, 30, 100, 110, 1000,

3. Every non-zero number is a multiple of itself. or, the first multiple of a number is the number itself. Examples:

 $15 \times 1 = 15$

So, 15 is a multiple of 15.

23 × 1 = 23

So, 23 is a multiple of 23.



Mathematics-4





4. All the multiples of a given number are either equal to or greater than the given number.

Examples:

Multiples of 4 are: 4, 8, 12, 16, 20, 24,

Multiples of 6 are: 6 , 12 , 18 , 24 , 30 , 36 ,



Least Common Multiple (LCM)

The smallest common multiple of two or more numbers is called Least Common Multiple (LCM).

Solved Examples

Example 1: Find the LCM of 8 and 12.

Solution : Multiples of 8: 8, 16, 24, 32, 40, 48, 56, 64, 72,

Multiples of 12: 12, 24, 36, 48, 60, 72, 84,

Common multiples of 8 and 12 are:

24, 48, 72,

:. LCM of 8 and 12 is 24.

Example 2: Find the LCM of 2, 3 and 4.

Solution : Multiples of 2: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24,

Multiples of 3: 3, 6, 9, 12, 15, 18, 21, 24, 27,

Multiples of 4: 4, 8, 12) 16, 20, 24) 28, 32,

Common multiples of 2, 3 and 4 is 12, 24,

.. LCM of 2, 3 and 4 is 12.

exercise 7.1

- 1. Write the first 6 multiples of 9.
- 2. Write the first 4 multiples of 15.
- 3. Write the first 3 multiples of 17.





- 4. Write the first 7 multiples of 10.
- 5. Write the 4th multiple of 7.
- 6. Write the 8th multiple of 24.
- 7. Write the 10th multiple of 173.
- 8. Write the 2nd multiple of 459.
- 9. Show that 936 is a multiple of 9.
- 10. Show that 8643 is not a multiple of 25.
- 11. Is 1711 is a multiple of 29?
- 12. Is 44184 is a multiple of 56?
- 13. Is 7846 is a multiple of 15?
- 14. Is 83453 is a multiple of 26?
- 15. Find the LCM of:
 - (a) 4 and 6

(b) 2 and 8

(c) 6 and 12

(d) 3, 6 and 8

(e) 5, 10 and 20

(f) 6,8 and 9



Factor is a number which exactly divides the given number, without leaving any remainder.

Solved Examples

Example 1: Find all the factors of 24.

Solution : We have,

 $24 = 1 \times 24$

 $24 = 2 \times 12$

 $24 = 3 \times 8$

 $24 = 4 \times 6$

.. All the factors of 24 are: 1, 2, 3, 4, 6, 8, 12, 24


Example 2: Is 7 a factor of 420?


Solution : Let's divide 420 by 7











 \therefore 7 is a factor of 420.

Example 3: Is 5 is a factor of 3462?

Solution : Let's divide 3462 by 5.



Clearly, 3462 is not exactly divisible by 5.

.. 5 is not a factor of 3462.

Example 4: Show that 82 is a factor of 61992.

Solution: Let's divide 61992 by 82.

			_	_	
			7		6
82	6	1	9	9	2
	- 5	7	4		
		4	5	9	
	-	4	1	0	
			4	9	2
		-	4	9	2
					0
					_



Clearly, 61992 is exactly divisible by 82.

.. 82 is a factor of 61992.

Example 5: Show that 29 is not a factor 7642.

Solution: Let's divide 7642 by 29.









Clearly, 7642 is not exactly divisible by 29.

∴ 29 is not a factor of 7642.



Properties of Factors

1 is a smallest factor of every number.

Examples:

48 is divisible by 1

59 is divisible by 1

Thus, it is clear that 1 is a smallest factor of every number.

Every non-zero number has limited number of factors. 2.

Examples:

Factors of 8 are: 1, 2, 4, 8

Factors of 15 are: 1, 3, 5, 15

3. Every non-zero number is a largest factor of itself.

Examples:

Largest factor of 8 is 8

Largest factor of 15 is 15



All the factors of a given number are either less than or 4. equal to the given number.

Examples:

Factors of 12 are: 1, 2, 3, 4, 6, 12

Factors of 18 are: 1, 2, 3, 6, 9, 18
















The highest number (or factor) which divides two or more numbers exactly is called Highest Common Factor (HCF).

HCF is also known as GCD (Greatest Common Divisor).

Solved Examples

Example 1: Find the HCF of 12 and 18.

Solution : $12 = 1 \times 12$

 $12 = 2 \times 6$

 $12 = 3 \times 4$

:. Factors of 12 are: 1, 2, 3, 4, 6, 12.

 $18 = 1 \times 18$

 $18 = 2 \times 9$

 $18 = 3 \times 6$

: Factors of 18 are: 1, 2, 3, 6, 9, 18.

.. Common factors of 12 and 18 are: 1, 2, 3, 6.

Thus, HCF of 12 and 18 is 6.

Example 2: Find the HCF of 4 and 5.

Solution : $4 = 1 \times 4$

 $4 = 2 \times 2$

∴ Factors of 4 are: 1, 2, 4.

 $5 = 1 \times 5$

 \therefore Factors of 5 are: 1, 5.

.. Common factors of 4 and 5 is 1

Thus, HCF of 4 and 5 is 1.







- 1. Is 8 a factor of 648?
- 2. Is 11 a factor of 121?
- 3. Is 3 a factor of 1762?
- 4. Is 12 a factor of 946?
- 5. Find all the factors of:
 - (a) 63

(b) 49

(c) 72

- (d) 24
- 6. Show that 14 is a factor of 448.
- 7. Show that 12 is not a factor of 129.
- 8. Show that 10 is a factor of 120.
- 9. Show that 19 is not a factor of 1965.
- 10. Find the HCF of:
 - (a) 3 and 9

(b) 15 and 45

(c) 18 and 24

(d) 27 and 36





Divisibility by 2:

A given number is divisible by 2, if its ones place digit is even digit i.e. 0, 2, 4, 6 or 8. For example : 912, 236, 528, 130 are divisible by 2.

Even Numbers

Numbers which are divisible by 2 are known as even numbers.

For example,

16, 128, 830, 946, etc.



Odd Numbers

Numbers which are not divisible by 2 are known as odd numbers.

For example,

129, 453, 1867, 1241, etc.

Divisibility by 3:

A given number is divisible by 3, if the sum of digits is divisible by 3.

- Examples: (a) Consider the number 54306 Sum of digits = 5 + 4 + 3 + 0 + 6 = 1818 is divisible by 3. So, 54306 is divisible by 3.
 - (b) Consider the number 28301 Sum of digits = 2 + 8 + 3 + 0 + 1 = 1414 is not divisible by 3. So, 28301 is not divisible by 3.



Divisibility by 4:

A given number is divisible by 4, if the number formed by its last two digits is also divisible by 4.

Examples:

- (a) Consider the number 7648 Last two digits = 48 48 is divisible by 4. So, 7648 is divisible by 4.
- (b) Consider the number 2802 Last two digits = 02 2 is not divisible by 4. So, 2802 is not divisible by 4.



Divisibility by 5:

A given number is divisibly by 5, if its ones place digit is either 0 or 5.

For example:

2490, 450, 625, 2895, etc. are divisible by 5

Divisibility by 6:

A given number is divisible by 6, if it is divisible by both 2 and 3.

Examples:

(a) Consider the number 26904 Its ones place digit is 4.





So, the number is divisible by 2.

Sum of digits = 2 + 6 + 9 + 0 + 4 = 21


21 is divisible by 3.

So, the number is divisible by 3.

Thus, 26904 is divisible by both 2 and 3.

Hence, it is divisible by 6.

(b) Consider the number 27381Its ones place digit is 1.So, the number is not divisible by 2.Hence, 27381 is not divisible by 6.



Hence, 23578 is not divisible by 6.



A given number is divisible by 9, if the sum of the digits is divisible by 9.

- Examples: (a) Consider the number 62154Sum of digits = 6 + 2 + 1 + 5 + 4 = 1818 is divisible by 9. So, 62154 is divisible by 9.
 - (b) Consider the number 53927

 Sum of digits = 5 + 3 + 9 + 2 + 7 = 26

 26 is not divisible by 9.

 So, 53927 is not divisible by 9.

Divisibility by 10:

A given number is divisible by 10, if its ones place digit is zero (0).

For example:

250, 580, 6800, 9760, etc. are divisible by 10.





Mathematics-4





Prime Numbers And Composite Numbers

Prime Numbers

A number having exactly two factors is known as prime number. For example:

2, 3, 5, 7, 11, 13, 17, 19, 23, etc. are the prime numbers.

2 is the smallest even prime number. 3 is the smallest odd prime number.

Composite Numbers

A number having more than two factors is known as composite number. For example:

 $4, 6, 8, 9, 10, 12, 14, \dots$ etc. are the composite numbers.





Tell students that 1 is neither a prime nor a composite number.

Eratosthenes, a Greek mathematician gave a method for finding out the prime numbers. Let's write numbers from 1 to 100.

X	(2)	(3)	*	(5)	%	7	%	×	10
<u> </u>	(2)	3)	74	(3)	Æ		Æ	<i>A</i>	<i>3</i> \
11)	×	(13)) (4) 5) 6	(17))8	(19)	30
34	3/2	23	2/4	3 5	3 6	3 47	38	29	3 0
31	3/2	33	3⁄4	35	3 6	37	38	39	4 0
41)	*2	43	¥ 4	4 5	3 6	47	3 8	4 9	50
54	52	53	54	5 5	56	5 7	58	59	% Ø
61	% 2	53	<u>6</u> 4	6 5	<u>%</u> 6	67	58	5 9	7 0
71	7 /2	73	7/4	75	7 6	M	78	79	80
8 1	% 2	83	84	% 5	8 6	8 7	88	89	90
% 1	%	93	94	9 5	%	97	98	% 9	100

Mathematics-4 95



Step 1 : Cross out 1

: Cross out all the multiples of 2, except 2. Step 2 Step 3 : Cross out all the multiples of 3, except 3. : Cross out all the multiples of 5, except 5. Step 4 : Cross out all the multiples of 7, except 7. Step 5

Now, circle all the uncrossed numbers.

Thus, all the prime numbers from 1 to 100 are: 2, 3, 5, 7, 11, 13, 17, 19, 23, 29, 31, 37, 41, 43, 47, 53, 59, 61, 67, 71, 73, 79, 83, 89 and 97



Facts to Know

2 is the smallest and the only even prime number. All the other prime numbers are odd.



4	•	• 1			a
1	110	tha	h	an	νe .
4 .	 1 1/1	the	U	un	<i>N</i> 3 •

(a)	Numbers which ar	re divisible by	are	known as	even numbers
-----	------------------	-----------------	-----	----------	--------------

- Numbers which are not divisible by 2 are known as numbers. (b)
- (c) Prime numbers has exactly factors.
- (d) numbers have more than two factors.
- (e) The smallest prime number is
- (f) The smallest odd prime number is
- (g) is neither a prime nor a composite number.
- The smallest even composite number is (h)
- (i) The smallest odd composite number is
- and are prime numbers between 3 and 11. (i)

Which of the following numbers are divisible by 2? 2.

(a) 26794 (b) 38463

1050 (c)

(d) 97642

30705 (e)

(f) 6427

Which of the following numbers are divisible by 3? 3.

25101 (a)

3672 (b)

55321 (c)

(d) 2345

(e) 14397 (f) 2482

Which of the following numbers are divisible by 4? 4.

(a) 2864 (b) 2749















(c) 39740

(d) 4448

(e) 409321

- (f) 5373
- 5. Which of the following numbers are divisible by 5?
 - (a) 2556

(b) 3850

(c) 2965

(d) 4522

(e) 6895

- (f) 7660
- 6. Which of the following numbers are divisible by 6?
 - (a) 2910

(b) 4359

(c) 22896

(d) 64201

(e) 45492

- (f) 5124
- 7. Which of the following numbers are divisible by 9?
 - (a) 1328

(b) 67635

(c) 3852

(d) 6678

(e) 1143

- (f) 73201
- 8. Which of the following numbers are divisible by 10?
 - (a) 2450

(b) 2890

(c) 6405

(d) 3485

(e) 98002

- (f) 56300
- 9. Write all the prime numbers less than 20.
- 10. Write all the prime numbers between 25 and 40.
- 11. Write all the composite numbers between 37 and 47.



The quickest way to find the factors of a number is to divide it by the smallest prime number (bigger than 1) that goes into it evenly with no remainder.



Prime factorization is a method of expressing the composite number as the product of prime factors.

A number can be resolved into its prime factors by building factor tree.



Mathematics-4

Steps to build a factor tree are as follows:

Step 1 : Find the least prime number by which the given number is divisible.









Step 3 : Again further resolve the second factor into two factors, out of which at least one factor is prime.


Step 4 : Go on splitting the factors, until you get all the prime factors.

Step 5 : Now circle all the prime factors.


Solved Examples

Example 1: Find the prime factors of the following numbers by building a factor tree:

Solution : (a)



Thus, the prime factors of 24 are: $2 \times 2 \times 2 \times 3$







Thus, the prime factors of 76 are: $2 \times 2 \times 19$








Thus, the prime factors of 126 are:







Thus, the prime factors of 145 are:



Find the prime factors of the following numbers, by building a factor tree:

1. 48

2. 56

3. 81

4. 60

5. 72

6. 36

7. 50

8. 96

9. 125

10. 164

11. 121

12. 140





Mathematics-4



Think Wisely

If I have 10 coloured beads. How can I arrange them in different ways? Find out using multiples.





Answer the following:

1. Write first 12 multiples of:

12

2. Write the first 10 prime numbers.

3. Make prime factors:

15= _____× ____

50= ____ x ____ x ____

60= _____x ____x ____x





Materials required: A 10 \times 10 squared paper, crayons, one sheet of paper to write down the observation.

Steps:

- 1. On the squared paper, numbers from 1 to 100 are to be written.
 - With a red crayon, counting in 2s, all squares holding the numbers to be coloured, e.g 2, 4, 6.
 - Counting in 3s will be done using a blue crayon, e.g 3, 6, 9, 12.
 - The teacher asks the students to observe if there are numbers which need both colours and write them down.
 - The smallest common number is to be circled.
- 2. Now, using the tables of 6 and 8, and with two different crayons (green, yellow) such squares coming in the tables of 6 and 8 are coloured.
 - The numbers coloured by the table of 6 are written down. The numbers coloured by the table of 8 are also written down.
 - The smallest common number is circled.
- 3. If there is time, 2 more numbers can be taken.
- 4. The sheets should be displayed in the class.

Smallest common number

1	3	4	5	7	8	9 1	11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88
89	90	91	92	93	94	95	96	97	98	99	100					



Fractional Numbers



Learning **Objectives**

By the end of this lesson, students will be able

- Know types of fractions.
- Identify proper and improper fractions.
- Test whether the fractions are equivalent or not.
- Simplify the fractions.



Write fractions of the shaded part.





























































Fraction means 'part of a whole'




Following are the different types of fractions:

- 1. Equivalent fractions
- 2. Like and Unlike fractions
- 3. Proper and Improper fractions
- 4. Unit fractions
- 5. Mixed fractions




Equivalent Fractions

Two fractions are said to be equivalent if their cross products, *i.e.* {(Numerator of first x Denominator of second) and (Denominator of first x Numerator of second)} are equal.









Example : Let us consider the following example:

Clearly, the shaded portions represented by above figures are equal.

So, the fractions

$$\frac{1}{2} = \frac{2}{4} = \frac{4}{8} = \frac{8}{16}$$
, etc.

are equivalent fractions.



Rules for building equivalent fractions:

Rule 1 : Multiply the numerator and denominator by the same non-zero number.

Examples :
$$\frac{1 \times 2}{2 \times 2} = \frac{2}{4}, \frac{1 \times 3}{2 \times 3} = \frac{3}{6}, \frac{1 \times 4}{2 \times 4} = \frac{4}{8}$$
, etc

So, $\frac{2}{4}$, $\frac{3}{6}$, $\frac{4}{8}$, etc. are equivalent fractions.

Rule 2 : Divide the numerator and denominator by the same non-zero number.

Examples :
$$\frac{8 \div 2}{16 \div 2} = \frac{4}{8}, \frac{4 \div 2}{8 \div 2} = \frac{2}{4}, \frac{2 \div 2}{4 \div 2} = \frac{1}{2}$$
, etc.

So, $\frac{4}{8}$, $\frac{2}{4}$, $\frac{1}{2}$, etc. are equivalent fractions.

Solved Examples

Example 1 : Write the next four equivalent fractions of $\frac{3}{7}$.

Solution :
$$\frac{3}{7} = \frac{3 \times 2}{7 \times 2} = \frac{3 \times 3}{7 \times 3} = \frac{3 \times 4}{7 \times 4} = \frac{3 \times 5}{7 \times 5}$$

$$\therefore \frac{3}{7} = \frac{6}{14} = \frac{9}{21} = \frac{12}{28} = \frac{15}{35}$$

Thus, $\frac{6}{14}$, $\frac{9}{21}$, $\frac{12}{28}$ and $\frac{15}{35}$ are the next four equivalent fractions of $\frac{3}{7}$.

Finding the equivalent fraction with the given numerator or denominator

Example 2 : Write the equivalent fractions of the following:

- (a) $\frac{3}{5}$ with numerator 12
- (b) $\frac{2}{7}$ with denominator 42
- (c) $\frac{36}{72}$ with numerator 3
- (d) $\frac{60}{75}$ with denominator 5









We have to find the missing numerals.

(a)
$$\frac{3}{5} = \frac{12}{?}$$

To get 12 in the numerator we multiply 3 by 4.

.. We also multiply the denominator by 4.


$$\frac{3}{5} = \frac{3 \times 4}{5 \times 4} = \frac{12}{20}$$

Thus, $\frac{3}{5}$ and $\frac{12}{20}$ are equivalent fractions.

(b)
$$\frac{2}{7} = \frac{?}{42}$$

To get 42 in the denominator, we multiply 7 by 6.

.. We also multiply the numerator by 6.



$$\frac{2}{7} = \frac{2 \times 6}{7 \times 6} = \frac{12}{42}$$

Thus, $\frac{2}{7}$ and $\frac{12}{42}$ are equivalent fractions.


$$\frac{36}{72} = \frac{3}{?}$$

To get 3 in the numerator, we divide 36 by 12.

... We also divide the denominator by 12.

$$\frac{36}{72} = \frac{36 \div 12}{72 \div 12} = \frac{3}{6}$$

Thus, $\frac{35}{72}$ and $\frac{3}{6}$ are equivalent fractions.



To get 5 in the denominator, we divide 75 by 15.

.. We also divide the numerator by 15.

$$\frac{60}{75} = \frac{60 \div 15}{75 \div 15} = \frac{4}{5}$$

Thus, $\frac{60}{75}$ and $\frac{4}{5}$ are equivalent fractions.





Testing Whether the Fractions are Equivalent or Not:

If the cross product of two fractions are equal, then they are said to be equivalent fractions.

For example: Let us consider the following two fractions:

$$\frac{3}{5}$$
 and $\frac{6}{10}$

Cross multiply:

$$\frac{3}{5}$$
 $\sqrt{\frac{6}{10}}$

$$3 \times 10 = 30$$
 and $5 \times 6 = 30$

... Both the cross products are equal.

Hence, the fractions $\frac{3}{5}$ and $\frac{6}{10}$ are equivalent.



(a)
$$\frac{5}{7}$$
 and $\frac{25}{35}$

(b)
$$\frac{2}{8}$$
 and $\frac{26}{32}$

$$\frac{5}{7}$$
 $\times \frac{25}{35}$

$$5 \times 35 = 175$$
 and $7 \times 25 = 175$

.. Both the cross products are equal.

Hence, the fractions $\frac{5}{7}$ and $\frac{25}{35}$ are equivalent.

(b) Cross multiply:

$$\frac{2}{8}$$
 $\frac{26}{32}$

$$2 \times 32 = 64$$
 and $8 \times 26 = 208$

.. Both the cross products are not equal.

Hence, the fractions $\frac{2}{8}$ and $\frac{26}{32}$ are not equivalent.



Ask the students to identify something in their home they could divide into fractions, such as a pizza or crayons, and divide. Have them draw their fraction or take a picture to share.







exercise<mark>8.1</mark>

- 1. Write the next four equivalent fractions of the following:
 - (a) $\frac{2}{3}$
- (b) $\frac{6}{7}$
- (c) $\frac{1}{4}$
- (d) $\frac{3}{10}$

- 2. Find the missing numerals:
 - (a) $\frac{2}{7} = \frac{?}{14}$

(b) $\frac{3}{8} = \frac{?}{48}$

(c) $\frac{5}{8} = \frac{40}{?}$

(d) $\frac{3}{5} = \frac{27}{?}$

(e) $\frac{81}{45} = \frac{?}{5}$

(f) $\frac{22}{44} = \frac{?}{4}$

(g) $\frac{42}{70} = \frac{3}{2}$

- (h) $\frac{50}{60} = \frac{5}{2}$
- 3. Are the following fractions equivalent?
 - (a) $\frac{7}{5}$ and $\frac{49}{35}$

(b) $\frac{8}{9}$ and $\frac{63}{42}$

(c) $\frac{2}{8}$ and $\frac{4}{16}$

(d) $\frac{3}{5}$ and $\frac{9}{15}$



Like And Unlike Fractions

Like fractions has the same denominators.

For example : $\frac{2}{7}$, $\frac{3}{7}$, $\frac{5}{7}$, $\frac{8}{7}$, etc. are like fractions.

Unlike fractions has the different denominators.

For example : $\frac{1}{2}$, $\frac{3}{4}$, $\frac{5}{7}$, $\frac{2}{9}$, etc. are unlike fractions.



exercise<mark>8.2</mark>

- 1. Write whether the following groups are of like fractions or unlike fractions:
 - (a) $\frac{3}{8}$, $\frac{7}{8}$, $\frac{9}{8}$

(b) $\frac{2}{7}$, $\frac{5}{9}$, $\frac{4}{16}$, $\frac{23}{16}$



(c) $\frac{1}{2}$, $\frac{2}{2}$, $\frac{3}{2}$, $\frac{4}{2}$, $\frac{5}{2}$

(d) $\frac{6}{7}$, $\frac{5}{9}$

- (e) $\frac{3}{5}$, $\frac{7}{2}$, $\frac{6}{8}$, $\frac{4}{29}$, $\frac{5}{3}$
- (f) $\frac{1}{6}$, $\frac{4}{6}$, $\frac{5}{6}$, $\frac{3}{6}$, $\frac{2}{6}$
- (g) $\frac{2}{10}$, $\frac{3}{10}$, $\frac{6}{10}$, $\frac{7}{10}$, $\frac{8}{10}$
- (h) $\frac{1}{2}$, $\frac{3}{7}$, $\frac{4}{5}$, $\frac{6}{8}$, $\frac{9}{10}$



- (a) 7
- (b) 12
- (c) 5
- (d) 10





Fractions in which numerator is less than the denominator are known as proper fractions.

Numerator < Denominator

For example,

 $\frac{1}{2}$, $\frac{3}{5}$, $\frac{7}{9}$, $\frac{8}{17}$, etc are the proper fractions.

Fractions in which denominator is less than the numerator are known as improper fractions.

Numerator > Denominator

For example,

 $\frac{3}{2}$, $\frac{5}{4}$, $\frac{7}{3}$, $\frac{15}{10}$, etc are the improper fractions.





- 1. A fraction in which numerator is less than the denominator are known as fraction.
- 2. A fraction in which numerator is greater than the denominator are known as fraction.
- 3. Write whether the following are the proper or improper fractions?
 - (a) $\frac{7}{2}$
- (b) $\frac{6}{9}$

- (c) $\frac{72}{80}$
- (d) $\frac{1}{5}$

- (e) $\frac{32}{12}$
- (f) $\frac{5}{3}$

- (g) $\frac{10}{23}$
- (h) $\frac{19}{17}$

0.







Fractions with numerator 1 are known as unit fractions.

For example:

 $\frac{1}{2}$, $\frac{1}{5}$, $\frac{1}{10}$, $\frac{1}{12}$, etc are the unit fractions.



- 1. Unit fractions have the numerator
- 2. Which of the following are the unit fractions?
 - (a) $\frac{3}{5}$
- (b) $\frac{7}{2}$

- (c) $\frac{1}{6}$
- (d) $\frac{1}{12}$

- (e) $\frac{6}{12}$
- (f) $\frac{1}{89}$
- (g) $\frac{72}{14}$
- (h) $\frac{1}{3}$

Mixed Fractions

When an improper fraction is written as a combination of a whole number and a proper fraction, then it is said to be a mixed fraction.

For example:

Let us consider the fraction $\frac{5}{2}$ We write,

$$=\frac{5}{2}=5\div2$$

Quotient $\longrightarrow 2\frac{1}{2}$ Remainder Denominator

$$\begin{array}{r}
2 \\
2 \sqrt{5} \\
-4 \\
\hline
1
\end{array}$$

Mixed Fractions, Numerator = Quoitent Remainder Denominator


So, $\frac{5}{2}$ can be written as, $2\frac{1}{2}=2+\frac{1}{2}$ $2\frac{1}{2}$ is a mixed fraction.





Converting an improper fraction into a mixed fraction:

- **Step 1** : Divide the numerator by denominator.
- Step 2 : Write the quotient as a whole number and remainder as a numerator and the divisor is written as a denominator.



Solved Examples

Example 1: Convert the following improper fractions into mixed fractions:

(a)
$$\frac{3}{2}$$

(b)
$$\frac{25}{12}$$

Solution : (a)
$$\frac{3}{2} = 3 \div 2$$

$$2\sqrt{\frac{1}{3}}$$

$$\frac{-2}{1}$$



Quotient = 1 Remainder = 1

We know,

Mixed fraction = Quoitent $\frac{\text{Remainder}}{\text{Denominator}}$

So,
$$\frac{3}{2} = 1\frac{1}{2}$$

(b)
$$\frac{25}{12} = 25 \div 12$$

On dividing 25 by 12, we get



Quotient = 2, Remainder = 1 So, $\frac{25}{12}$ = $2\frac{1}{12}$

















Converting a mixed fraction into an improper fraction:

Step 1 : Multiply the whole number (i.e. quotient) by the denominator (i.e.

divisor).

Whole Number × Denominator

- **Step 2** : Add the numerator (i.e. remainder) to this product.
- **Step 3** : Write this number in place of numerator.

Step 4 : Denominator will remain same.

- Example 2: Convert the following mixed fractions into improper fractions:
 - (a) $3\frac{4}{7}$

(b) $9\frac{2}{8}$

Solution : (a) $3\frac{4}{7}$

Improper fraction =
$$3 + \frac{4}{7}$$

$$= \frac{(7 \times 3) + 4}{7}$$
$$= \frac{25}{7}$$

(b)
$$9\frac{2}{8}$$

Improper fraction
$$= \frac{(9 * 8) + 2}{8}$$

=
$$\frac{74}{8}$$



exercise<mark>8.5</mark>

- 1. Which of the following are the mixed fractions?
 - (a) $5\frac{1}{2}$
- (b) $\frac{6}{8}$

- (c) $\frac{12}{29}$
- (d) $3\frac{7}{8}$

- (e) $3\frac{5}{7}$
- (f) $\frac{12}{19}$

- (g) $\frac{76}{20}$
- (h) $7\frac{3}{29}$
- 2. Convert the following improper fractions into mixed fractions:
 - (a) $\frac{23}{7}$
- (b) $\frac{64}{3}$

- (c) $\frac{25}{10}$
- (d) $\frac{55}{2}$

- (e) $\frac{63}{5}$
- (f) $\frac{72}{7}$
- (g) $\frac{42}{5}$
- (h) $\frac{74}{4}$





- 3. Convert the following mixed fractions into improper fractions:
 - (a) $1\frac{1}{3}$
- (b) $3\frac{6}{8}$
- (c) $2\frac{3}{5}$
- (d) $12\frac{1}{7}$

- (e) $6\frac{1}{12}$
- (f) $5\frac{3}{10}$
- (g) $2\frac{1}{5}$
- (h) $3\frac{2}{7}$



Fractions In The Simplest Form

Simplest form means lowest term.

Let us consider the following example:

$$\frac{1}{2} = \frac{2}{4} = \frac{4}{8} = \frac{8}{16}$$
, are the equivalent fractions.

 $\frac{1}{2}$ is the simplest form of $\frac{8}{16}$, because there is no number except 1 that divides 1 and 2, exactly.



Co

Quick Tip

Keep on dividing the numerator and denominator by their common factors, until they have no more common factors except 1.

Solved Examples

Example 1: Reduce the following fractions into simplest form:

- (a) $\frac{12}{38}$
- (b) $\frac{42}{70}$

Solution

(a) Prime factorization of numerator,

$$12 = 2 \times 2 \times 3$$

Prime factorization of denominator,

$$38 = 2 \times 19$$

Now,
$$\frac{12}{38} = \frac{2 \times 2 \times 3}{2 \times 19} = \frac{2 \times 3}{19} = \frac{6}{19}$$

8 L





(b) $\frac{42}{70}$

Prime factorization of numerator,

$$42 = 2 \times 3 \times 7$$

Prime factorization of denominator,

$$70 = 2 \times 5 \times 7$$

Now,
$$\frac{42}{70} = \frac{2 \times 3 \times 7}{2 \times 5 \times 7} = \frac{3}{5}$$



exercise 8.6

- 1. Which of the following fractions are in simplest form?
 - (a) $\frac{3}{9}$
- (b) $\frac{6}{7}$

- (c) $\frac{8}{12}$
- (d) $\frac{1}{5}$

- (e) $\frac{7}{9}$
- (f) $\frac{12}{27}$
- (g) $\frac{2}{3}$
- (h) $\frac{26}{52}$
- 2. Reduce the following fractions into their simplest form:
 - (a) $\frac{15}{25}$
- (b) $\frac{10}{50}$
- (c) $\frac{500}{600}$
- (d) $\frac{27}{63}$

- (e) $\frac{81}{90}$
- (f) $\frac{25}{50}$
- (g) $\frac{205}{310}$
- (h) $\frac{49}{63}$



Facts to Know


The line that separates the numerator and the denominator is called a vinculum, which is also the word used to describe 'a connecting band of tissue, such as that attaching a flexor tendon to the bone of a finger or toe'.

Comparison of Fractions

Comparing Like Fractions

It is very easy to compare like fractions. The fraction having greater numerator has the greater value.





For example: Comparing,
$$\frac{3}{6}$$
 and $\frac{5}{6}$
Since, $3 < 5$

So,
$$\frac{3}{6} < \frac{5}{6}$$
.

Comparing Unlike Fractions:

To compare unlike fractions, first convert them into like fractions.

For example: Comparing,
$$\frac{12}{35}$$
 and $\frac{16}{30}$

Prime factorization of
$$30 = 2 \times 3 \times 5$$

Prime factorization of
$$35 = 5 \times 7$$

Now,
$$\frac{30}{35} = \frac{2 \times 3 \times 5}{5 \times 7} = \frac{6}{7}$$

On cross multiplication,
$$\frac{30}{35}$$
 $\chi \frac{6}{7}$

$$30 \times 7$$
 and 35×6

So,
$$\frac{12 \times 6}{35 \times 6} \text{ and } \frac{16 \times 7}{30 \times 7}$$

$$\frac{72}{210}$$
 and $\frac{112}{210}$

$$\frac{72}{210} < \frac{112}{210}$$

Thus,
$$\frac{12}{35} < \frac{16}{30}$$



Mathematics-4

Comparing A Mixed Fraction with An Improper Fraction:

Let us consider an example,

Comparing:
$$2\frac{1}{5}$$
 and $\frac{6}{5}$

$$2\frac{1}{5} = \frac{2 \times 5 + 1}{5} = \frac{11}{5}$$

$$\frac{11}{5}$$
 $\times \frac{6}{5}$

$$11 \times 5$$
 and 6×5

:.
$$55 > 30$$

Thus, $2\frac{1}{5} > \frac{6}{5}$.

Comparing Two Mixed Fractions





Solved Examples

Example 1: Compare $2\frac{3}{5}$ and $1\frac{2}{7}$

Solution : First we compare the whole number of the fractions

$$2\frac{3}{5}$$
 and $1\frac{2}{7}$

Thus,
$$2\frac{3}{5} > 1\frac{2}{7}$$

Example 2: Compare $2\frac{6}{7}$ and $2\frac{5}{9}$

Solution : As the whole numbers of both fractions are equal, so we now compare

their fractional parts, i.e.

$$\frac{6}{7}$$
 and $\frac{5}{9}$

By cross multiplication

$$\frac{6}{7} \times \frac{5}{9}$$

$$6 \times 9$$
 and 7×5

So,
$$\frac{6}{7} > \frac{5}{9}$$

Thus,
$$2\frac{6}{7} > 2\frac{5}{9}$$
.

Think Wisely

I have 18 tiles of four prime colours. 1/2 are blue. 1/3 are green. 1/9 are red.

· How many yellow tiles are there?







1. Compare (<, >, =) the following fractions:

(a) $\frac{1}{4}$ $\frac{5}{4}$

(b) $\frac{2}{8} \square \frac{1}{8}$

(c) $\frac{6}{12} \left[\frac{1}{2} \right]$

(d) $\frac{3}{9} \square \frac{3}{8}$

(e) $\frac{5}{4}$ $\frac{2}{8}$

(f) $\frac{4}{20} \prod_{5} \frac{1}{5}$

(g) $1\frac{2}{3} \boxed{\frac{6}{8}}$

- (h) $6\frac{2}{9} \boxed{\frac{56}{9}}$
- (i) $3\frac{5}{7} \square 8\frac{2}{9}$
- (j) $2\frac{3}{6}$ $5\frac{1}{2}$
- (k) $1\frac{3}{5}$ $1\frac{6}{8}$
- (I) $3\frac{19}{10}$ $3\frac{6}{5}$



A. Fill in the blanks

- 1. Reciprocal of 5 is _____
- 2. $^{7}/_{8}$ and $^{8}/_{13}$ are _____ fractions.
- 3. 0.7 in fractional form is _____.

B. Write equivalent fraction for each.

1.
$$\frac{2}{10} =$$

2.
$$\frac{1}{3} = \bigcirc$$

3.
$$\frac{5}{7}$$
 =

4.
$$\frac{3}{5}$$
=




Mathematics-4

8. 1 4





Materials required: Playing cards, paper, pencil



Steps:

- 1. This activity can be done in groups of five each.
- 2. One student will divide deck of cards evenly among the players.
- 3. All the other students will turn over two cards from their respective deck and place them in front of themselves.
- 4. One card would be the numerator and one would be the denominator to fraction.
- 5. Now the players will calculate who has the largest fraction.
- 6. The player who has formed the largest fraction will get 5 points.



Teacher's Note:

A time limit can be set for the activity.

Mathematics—4 117







Learning Objectives


By the end of this lesson, students will be able to:


- · Identify the whole number and fractional parts of a decimal.
- · Convert decimals into common fractions.
- · Recognize connections between decimal numbers and place values.




There are ten children attending Neha's birthday party. Her mother cuts the cake into 10 equal parts. Each part is one-tenth of the whole cake.

Look at the following figures. Each figure has been divided into ten equal parts. How many parts are shaded? Write a fraction below each figure.









Ask pupils to explain what they know about ones, tens, and hundreds.





The word 'Decimal' originates from the Latin word 'Decem', which means 'tenth'.

The fractions which have the denominators like 10, 100, 1000, etc. are known as decimal fractions.

Examples,
$$\frac{8}{10}$$
, $\frac{4}{100}$, $\frac{52}{100}$, $\frac{63}{1000}$, etc.

are all decimal fractions.





The place value of a digit becomes one tenths $\left(\frac{1}{10}\right)$ one hundredths $\left(\frac{1}{100}\right)$ and one thousandths $\left(\frac{1}{1000}\right)$ etc. as we move from left to right after the decimal (point).

Decimals are used to represent a number less than 1.

Decimal or point is introduced after the ones place.

A decimal fraction has two parts, i.e. a whole number and a decimal part.

For example,



So, the numbers to the left of decimal are whole numbers and the numbers to the right of decimal are decimal fractions.



The dec in decimal means ten, and refers to the fact that each position in a decimal number corresponds to ten times more than the next position along. For example, the number 325.31 means 3 hundreds, 2 tens, 5 ones, 3 tenths and 1 hundredth.



.29 can be written as 0.29 82 can be written as 82.0

So, absence of any of the part can be represented by using 0.



Fractional Number	Common Fraction	Decimal Fraction	Read as
1 tenth	10	.1	Decimal one or Point one
2 tenths	<u>2</u> 10	.2	Decimal two or Point two
5 tenths	<u>5</u> 10	.5	Decimal five or Point five
8 tenths	<u>8</u> 10	.8	Decimal eight or Point eight
9 tenths	<u>9</u> 10	.9	Decimal nine or Point nine

A decimal fraction with denominator 10 has only one digit after the decimal point.

Thus,
$$\frac{1}{10} = .1$$
, $\frac{2}{10} = .2$, $\frac{5}{10} = .5$, $\frac{8}{10} = .8$, $\frac{9}{10} = .9$, etc.



Decimal Fractions With Denominator 100 (Hundredths)

Fractional Number	Common Fraction	Decimal Fraction	Read as
1 hundredth	$\frac{1}{100}$.01	Point zero one
2 hundredths	<u>2</u> 100	.02	Point zero two
10 hundredths	10 100	.10	Point one zero
72 hundredths	72 100	.72	Point seven two
96 hundredths	96 100	.96	Point nine six

A decimal fraction with denominator 100 has two digits after the decimal point.

Thus,
$$\frac{1}{100} = .01$$
, $\frac{2}{100} = .02$, $\frac{10}{100} = .10$, $\frac{72}{100} = .72$, $\frac{96}{100} = .96$, etc.

Decimal Fractions With Denominator 1000 (Thousandths)

Fractional Number	Common Fraction	Decimal Fraction	Read as
1 thousandth	1 1000	·001	Point zero zero one
4 thousandths	4 1000	.004	Point zero zero four
18 thousandths	18 1000	.018	Point zero one eight
100 thousandths	100 1000	·100	Point one zero zero
896 thousandths	896 1000	∙896	Point eight nine six

A decimal fraction with denominator 1000 has three digits after the decimal point.

Thus,
$$\frac{1}{1000} = .001$$
, $\frac{4}{1000} = .004$, $\frac{18}{1000} = .018$, $\frac{100}{1000} = .100$, $\frac{896}{1000} = .896$, etc.







Rules for Converting Decimals Into Common fractions:

Step 1 : Write the decimal number without decimal as the numerator.

Step 2 : Write the denominator by forming a number with as many zeros to the right of 1 as in the number of decimal places in the given number.

Examples: $2.8 = \frac{28}{10}$,

 $5.62 = \frac{562}{100}$

 $3.856 = \frac{3856}{1000},$

 $0.08 = \frac{8}{100}$,

 $0.5 = \frac{5}{10}$,

 $0.006 = \frac{6}{1000}$, etc.

Facts to Know

Decimals, as they look today, were used by John Napier, a Scottish mathematician who developed the use of logarithms for carrying out calculations. The modern decimal point became the standard in England in 1619.



Let us consider the decimal number,

546.289

Now, arrange the digits of the number in place value chart.

Hundreds (100)	Tens (10)	Ones (1)	Point Or Decimal	Tenths $\left(\frac{1}{10}\right)$	Hundredths $\left(\frac{1}{100}\right)$	Thousandths $\left(\frac{1}{1000}\right)$
5	4	6	. (2	8	9

So,

546.289

= 5 hundreds + 4 tens + 6 ones + 2 tenths + 8 hundredths + 9 thousandths

$$= 500 + 40 + 6 + \frac{2}{10} + \frac{8}{100} + \frac{9}{1000}$$

Solved Examples

Example 1: Write the number names of the following decimals:

(a) 0.02

(b) 12.56

(c) 910.205

(d) 8.002





Solution : (a) 0.02 = Point zero two

(b) 12.56 = Twelve point five six

(c) 910.205 = Nine hundred ten point two zero five

(d) 8.002 = Eight point zero zero two

Example 2: Write the following fractions as decimals:

(a) $\frac{4}{10}$

(b) $\frac{29}{100}$

(c) $\frac{3}{100}$

(d) $\frac{450}{1000}$

(e) $\frac{62}{1000}$

(f) $\frac{9}{1000}$

Solution : (a) $\frac{4}{10}$ = 0.4

(b) $\frac{29}{100}$ = 0.29

(c) $\frac{3}{100}$ = 0.03

(d) $\frac{450}{1000}$ = 0.450

(e) $\frac{62}{1000}$ = 0.062

(f) $\frac{9}{1000}$ = 0.009



Example 3: Write the following decimals into common fractions:

(a) 0.2

(b) 0.07

(c) 10.27

(d) 16.2

(e) 28.295

(f) 63.002

Solution : (a) 0.2 = $\frac{2}{10}$

(b) $0.07 = \frac{7}{100}$

(c) $10.27 = \frac{1027}{100}$

(d) $16.2 = \frac{162}{10}$

(e) $28.295 = \frac{28295}{1000}$

(f) $63.002 = \frac{63002}{1000}$







528.102 (a)

: (a) 528.102 Solution

Arranging the digits in a place value chart:

	Hundreds (100)	Tens (10)	Ones (1)	Decimal Or Point	Tenths $\left(\frac{1}{10}\right)$	Hundredths $\left(\frac{1}{100}\right)$	Thousandths $\left(\frac{1}{1000}\right)$
}	5	2	8	•	1	0	2

So, 528.102

= 5 hundreds + 2 tens + 8 ones + 1 tenth + 0 hundredth + 2 thousandths

$$= 500 + 20 + 8 + \frac{1}{10} + \frac{2}{1000}$$

 \therefore Expanded form of 528.102 = 500 + 20 + 8 + $\frac{1}{10}$ + $\frac{2}{1000}$

Example 5: Write the following in short form:

(a)
$$500 + 60 + 7 + \frac{2}{10} + \frac{3}{100} + \frac{9}{1000}$$

Solution : (a)
$$500 + 60 + 7 + \frac{2}{10} + \frac{3}{100} + \frac{9}{1000}$$

= 5 hundreds + 6 tens + 7 ones + 2 tenths + 3 hundredths + 9 thousandths Writing the number in place value chart:

Hundreds	Tens	Ones	Decimal Or Point	Tenths	Hundredths	Thousandths
5	6	7	•	2	3	9

:. Short form of
$$500 + 60 + 7 + \frac{2}{10} + \frac{3}{100} + \frac{9}{1000} = 576.239$$



Think Wisely Rounding to the nearest tenth makes me 203.5.

Rounding to the nearest hundredth tenth makes me 203.46. The sum of my digits is 15. Carry me out to the thousandth place.

What number am I?





exercise 9.1

1. Write the number names of the following decimals:

(a) 0.03

(b) 7.625

(d) 85.20

(e) 0.912

(f) 0.008

(c)

(c)

83.021

42

2. Write the following fractions as decimals:

(a) $\frac{5}{10}$

(d)

- (b) $\frac{89}{100}$
- (e) $\frac{699}{1000}$

(f) $\frac{80}{1000}$

3. Write the following decimals as common fractions:

(a) 0.62

(b) 0.798

(c) 0.07

(d) 0.009

(e) 0.060

(f) 28.960

4. Write the following numbers in expanded form:

(a) 259.502

(b) 64.09

(c) 280.007

(d) 838.072

(e) 76.582

(f) 288.976

5. Write the following is short form:

(a)
$$50 + 6 + \frac{1}{10} + \frac{2}{100} + \frac{5}{100}$$

(b)
$$500 + 20 + 9 + \frac{2}{10} + \frac{6}{1000}$$

(c)
$$200 + 7 + \frac{9}{10} + \frac{5}{1000}$$

(d)
$$700 + 60 + 5 + \frac{2}{10} + \frac{5}{100} + \frac{6}{1000}$$

(e)
$$200 + 7 + \frac{9}{1000}$$

(f)
$$\frac{8}{10} + \frac{5}{100}$$



Mental Maths

Match the fractions to the decimals.

(a) $\frac{1}{10}$

(i) 0.6

(b) $\frac{3}{6}$

(ii) 0.4

(c) $\frac{2}{5}$

(iii) 0.3

(d) $\frac{3}{10}$

(iv) 0.1

(e) $\frac{3}{5}$

(v) 0.5








Materials required: Cut out a strip of chart paper, 20 cm in length. Using a scale and pencil, divide it into 10 equal parts. This is your decimal strip of tenths. Each part represents 0.1 or one-tenth of the strip.

			- 1						
\cap 1	$1 \cap 1$	$1 \cap 1$	$1 \cap 1$	$1 \cap 1$					
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

Steps:

- 1. Use the strip to add 0.4 and 0.3
- 2. $0.4 \rightarrow$ colour four parts on the strip to represent 0.4
- 3. $0.3 \rightarrow \text{colour}$ three parts on the strip to represent 0.3
- 4. How many parts are coloured? 7 parts.
- 5. This represents seven-tenths or 0.7



Mathematics-

6. Therefore, 0.4+0.3= _____

$$\leftarrow 0.4 \rightarrow \leftarrow 0.3 \rightarrow 0.7$$

7. Try this activity with different decimals.







Money



By the end of this lesson, students will be able to:

- · Explain money and the factors that determine its value.
- · Compare and contrast currency values.
- · Make bills.







Show real notes to the students and ask them to observe the notes and write 5 things which are written on it.

Mathematics—4 127





We all are familiar with Rupees (₹) and paise (p). Let's study something about money.



All the notes have numbers and these numbers are written on one side of the note.



Governor of the RBI signs all the notes, except ₹ 1. ₹ 1 note is signed by secretary ministry of finance.





To convert paise into rupees and paise, place a dot or point after 2 digits from the right.

8295 paise = ₹ 82.95









There are 15 languages on any Indian rupee note.

We can exchange the soiled notes in any of the bank.

We see the photograph of Gandhi ji on ₹ 5, ₹ 10, ₹ 20, ₹ 50, ₹ 100, ₹ 200 and ₹ 500 note.



It is very important to learn how to make bills, as we always have to pay our bill when we go for a shopping.



Facts to Know

In India, all coins and currency notes are issued by the Reserve Bank of India.


Making bill is very simple.

Step 1 : Write the quantity, item and cost of each item (unit cost).

Step 2 : Multiply the unit cost by quantity (or number of items) to get total cost.

Step 3 : Add the total cost of all the items to get the grand total.

Solved Examples





S.No.	Quantity	Item	Unit Cost
1	5	Eraser	₹ 3
2	4	Sharpner	₹ 2.25
3	12	Pencil	₹ 3.5
4	2	Note Book	₹ 12.75
5	3	Ruler	₹ 6.5



Solution: To prepare bill, we first multiply the quantity of each item with unit cost and then add total cost of each item to get grand total.

S.No.	Quantity	Item	Unit Cost	Total Cost
1	5	Eraser	₹ 3.00	₹ 15.00
2	4	Sharpner	₹ 2.25	₹ 9.00
3	12	Pencil	₹ 3.50	₹ 42.00
4	2	Note Book	₹ 12.75	₹ 25.50
5	3	Ruler	₹ 6.50	₹ 19.50
			Grand Total	₹ 111.00

Thus, the customer has to pay ₹ 111.

Example 2: Make the bill for the following purchase:

5 kg sugar at the rate of ₹38 per kg

10 kg rice at the rate of ₹ 40 per kg

8 kg wheat at the rate of ₹ 25 per kg

4 kg tea at the rate of ₹80.5 per kg

7 kg dal at the rate of ₹ 26.25 per kg




Solution

5.No.	Quantity	Item	Unit Cost	Total Cost
1	5 kg	Sugar	₹ 38.00	₹ 190.00
2	10 kg	Rice	₹ 40.00	₹ 400.00
3	8 kg	Wheat	₹ 25.00	₹ 200.00
4	4 kg	Tea	₹ 80.50	₹ 322.00
5	7 kg	Dal	₹ 26.25	₹ 183.75
			Grand Total	₹ 1295.75

∴ Grand total = ₹ 1295.75





Think Wisely

One table costs ₹ 1068.85 and a chair costs

₹ 2005.25. If the bicycle costs ₹ 20 more than the

sum of cost of one table and one chair, find the cost of bicycle.

exercise 10.1





S.No.	Quantity	Item	Unit Cost	Total Cost
1 2 3	4 4 pairs 2	T-Shirts Trousers Towels	₹ 506 ₹ 660 ₹ 250	
4	12	Hankeys	₹ 12.50	
			Grand Total	

2. Make the bills for each of the following purchases:

- (a) Sweets shop:
 - 10 Rasgullas at ₹ 8.50 per piece
 - 12 Rasmalai at ₹ 15.25 per piece
 - 8 Gulab Jamuns at ₹ 12.50 per piece
 - 2 kg Halwa at ₹ 220 per kg
- (b) Archies gallery:

2 greeting cards at ₹ 80 per card 10 soft toys at ₹ 550 per piece 8 dolls at ₹ 860 per piece 6 pack of cards at ₹ 195 per pack 12 basket balls at ₹ 58 per piece














- 1. ₹10.20 _____
- 2. ₹ 50.75 _____
- 3. ₹ 100.25 _____

B. Separate rupees and paise

- 1. ₹ 150.08 _____
- 2. ₹ 145.50 _____
- 3. ₹ 90.50 _____



Materials required: Books of diffrent subjects

Steps:

- 1. The teacher asks the children to bring out their textbooks.
- 2. He/she shows the printed cost of the books to them and asks them to write their prices on a paper sheet.













Maths : ₹25.80 English : ₹40.50 Hindi Reader : ₹90.40 Social Studies : ₹80.75

: ₹55.00 Science

- 3. Now, the teacher asks the following questions from children.
 - What is the total cost of all the books?
 - What is the cost of the Hindi Reader in rupees and paise separately?
 - · Which book is cheaper- Science or Maths and by how much?
 - Which book is the most expensive?





Measuring Time



Learning Objectives

By the end of this lesson, students will be able to:

- Know about a.m. and p.m.
- · Convert days into hours, hours into minutes and minutes into seconds.
- · Represent time in 12 hours and 24 hours clock time.
- Add and subtract time.



Observe the clock and tick the correct time.



It's half past three. It's half past four. It's half past five.



It's half past two. It's half past three. It's half past one.



It's a quarter to four. It's a quarter to six. It's a quarter to five.



It's half past ten. It's half past eight. It's half past nine.



It's one o'clock. It's twelve o'clock. It's two o'clock.



It's eleven o'clock. It's twelve o'clock. It's ten o'clock.



It's six o'clock.
It's half past twelve.
It's twelve o'clock.



It's a quarter to twelve. It's three o'clock. It's quarter past twelve.



It's twelve o'clock. It's five o'clock. It's half past twelve.









To know how to measure time is very important aspect in our daily life. Time helps us to prepare our daily schedule in an orderly manner.







Dial : The face of the clock is known as dial.

Divisions : There are 12 equal big divisions, labelled as 1, 2, 3, 4, 5, 6, 7, 8, 9,

10, 11 and 12 on the face of the clock.

Each big division is divided into five equal small divisions.

 \therefore Total number of divisions on the face of Clock = 12 × 5 = 60

Clock Hands : Clock has two hands:

Minute hand (Longer hand)

Hour hand (Shorter hand)



Minute hand takes 1 minute to move from one small division to the next small division.





Thus, minute hand covers 60 small divisions (i.e. one round on the face of clock) in 1 hour.



Movement of Hour Hand

Hour hand takes 1 hour to move from one big division (i.e. one number to the next number) to the next big division.

Thus, hour hand covers 12 big divisions (i.e. one round on the face of clock) in 12 hours.

Hour hand takes 2 full rounds in one day.




Ovick Tip

1 day = 24 hours 1 hour = 60 minutes Also, 1 minute = 60 seconds


The movements of hour hand and minute hand helps us to read or measure time. The following examples will help us to read the time.


Solved Examples


Example 1: What time does the following figures of the clock shows?



(b)
$$10^{11} 12^{1} 1$$
 $9 3$
 $8 7 6 5$










(f)



Solution



(a) In this figure, minute hand is at 12 and hour hand is at 2.



(b) In this figure, minute hand is at 6.

So, the minute hand moves

=
$$6 \times 5 = 30$$
 small divisions.




The hour hand is between 7 and 8

So, the time is between 7 o' clock and 8 o' clock.


∴ The time is 7:30.It can also be written as,


or 30 minutes to 8



So, the minute hand moves

$$= 3 \times 5 = 15$$
 small divisions







 \therefore The time is 5:15.

It can also be written as,

(d) In this figure, minute hand is at 9.

So, the minute hand moves
$$= 9 \times 5$$





The hour hand is between 3 and 4.

So, the time is between 3 o' clock and 4 o'clock.

 \therefore The time is 3:45.

It can also be written as,









(e) In this figure, minute hand is at 8.

So, the minute hand moves

- $= 8 \times 5$
- = 40 small divisions.

The hour hand is between 10 and 11.

So, the time is between 10 o'clock and 11 o'clock.

 \therefore The time is 10:40.

It can also be written as,

10:40 or (40 minutes past 10) or (20 minutes to 11

(f) In this figure, minute hand is at 3rd small division after the number 7.

So, the minute hand moves = $(7 \times 5 + 3)$

= 38 small divisions.

The hour hand is between 5 and 6.

So, the time is between 5 o'clock and 6 o'clock.

The time is 5:38.


It can also be written as,


5:38 38 minutes past 5 or


22 minutes to 6

xercise 11.1

What time do the following figures of the clock show? Write in any two 1. different ways:









11 12

10

2. Draw the minute hand and hour hand on the following clocks to show the given time:





3. Fill in the blanks:

- (a) 12: 00 = o'clock.
- (b) Half past 5 = minutes to 6.
- (c) Quarter to 8 = minutes past
- (d) Quarter past = 3: 15.
- (e) 50 minutes past 4 = minutes to 5.
- (f) 48 minutes past 9 = minutes to

Use of A.M. and P.M.



Facts to Know

- The term "o'clock" is a contraction of the term "of the clock."
- It comes from 15th century references to medieval mechanical clocks.

As we know,

A.M. or a.m. stands for Ante Meridian's

P.M. or p.m. stands for **Post Meridian**

The hour hand moves twice a day.

When the time is 12 o'clock, it may be in noon or at mid-night.

If the 12 o'clock is in the noon, then the time is 12 noon.

If the 12 o'clock is at mid-night, then the time is 12 mid night.

Teacher's Note:

Apprise students that the time between 12 mid-night and 12 noon is denoted by a.m. and the time between 12 noon and 12 mid-night is denoted by p.m.







5 o'clock in the evening is denoted by 5 p.m.

5 o'clock in the morning is denoted by 5 a.m.

Solved Examples

Example 1: Write the following time using a.m. or p.m.:

- 8:30 in the morning. (a)
- 11 o' clock in the morning. (b)
- 4:15 in the evening. (c)
- 9:40 in the night. (d)
- (e) 45 minutes after noon.
- 2:25 after mid-night. (f)

Solution 8:30 a.m. : (a)

11:00 a.m. (b)

4:15 p.m. (c)

9:40 p.m. (d)

12:45 p.m. (e)

(f) 2:25 a.m.

Example 2: What time it will be:

- (a) after 6 hours of 7 a.m.?
- before 2 hours of 8 p.m.? (b)

Solution

- (a) After 6 hours of 7 a.m. the time will be 1 p.m.
- (b) Before 2 hours of 8 p.m. the time will be 6 p.m.

ercise 11.2

Write the following time using a.m. or p.m.: 1.

7:10 in the morning. (a)

(b) 40 minutes after noon.

6:20 in the evening. (c)

(d) 12:20 in the mid-night.

3:16 after mid-night. (e)


12:15 in the afternoon. (f)

What time it will be: 2.

- after 10 minutes of 12:55 p.m.? (a)
- (b) after 2 hours of 4 a.m.?
- before 4 hours of 8 p.m.? (c)
- before 5 minutes of 12 noon? (d)
- before 5 minutes of 12 mid-night? (e)
- (f) after 3 hours of 9 p.m.?











Addition And Subtraction of Time

Addition and Subtraction of time is some what similar to normal addition and subtraction, respectively.

Remember

- In short,
- Hours are denoted as Hrs
- Minutes are denoted as Mins
- Seconds are denoted as Sec

Solved Examples

Examples 1 : Add 6 hours 12 minutes and 2 hours 30 minutes.

Solution

Step 1: Write in correct columns.


Step 2: Add minutes

12 + 30 = 42 minutes.

Step 3 : Add hours

6 + 2 = 8 hours

.. Sum = 8 hours 42 minutes.



Solution

Step 1: Write in correct columns.

Step 2: Add seconds

20 + 19 = 39 seconds

Step 3: Add minutes

42 + 12 = 54 minutes

 \therefore Sum = 54 minutes 39 seconds.

Example 3 : Add 2 hours 49 minutes 12 seconds

and 3 hours 56 minutes 39 seconds.

Solution

Step 1: Write in correct columns.

Step 2: Add seconds:

12 + 39 = 51 seconds



Hrs	Mins
6	12
+ 2	30
8	42

	Mins	Sec
	42	20
+	12	19
	54	39

	Hrs	Mins	Sec		
	1	1	1		
	2	49	12		
+	. 3	56	39		
_	6	45	51		





Step 3 : Add minutes:

49 + 56 = 105 minutes

= 60 minutes + 45 minutes = 1 hour + 45 minutes

Write 45 in minutes column

and 1 hour as the carry in hours column

Step 4: Add hours:

1 + 2 + 3 = 6 hours.

 \therefore Sum = 6 hours 45 minutes 51 seconds.

Example 4 : Subtract 6 hours 23 minutes from 8 hours 46 minutes.

Solution :

Step 1: Write in correct columns

Step 2 : Subtract minutes:

46 - 23 = 23 minutes

Step 3 : Subtract hours:

8 - 6 = 2 hours

:. Difference = 2 hours 23 minutes.

Example 5 : Subtract 42 minutes 29 seconds from 60 minutes 36 seconds.

Solution :

Step 1: Write in correct columns

Step 2 : Subtract seconds:

36 - 29 = 7 seconds

Step 3 : Subtract minutes:

60 - 42 = 18 minutes

.. Difference = 18 minutes 07 seconds.

Example 6 : Subtract 2 hours 42 minutes 18 seconds from 4 hours 56 minutes


06 seconds

Solution :

Step 1: Write in correct columns

Step 2: Subtract seconds:







6

2


23

23









50,60+6=66 seconds

Now, = 66 - 18 = 48 seconds

Step 3: Subtract minutes:

56 - 42 = 14 hours

Step 4: Subtract hours

4 - 2 = 2 hours

: Difference = 2 hours 14 minutes 48 seconds.

Hrs	Mins	Sec	
4	56	66	
- 2	42	18	
2	14	48	



1. Add the following:

- (a) 12 hours 25 minutes and 8 hours 20 minutes
- (b) 6 hours 40 minutes and 2 hours 53 minutes
- (c) 10 minutes 20 seconds and 12 minutes 59 seconds
- (d) 58 minutes 23 seconds and 49 minutes 28 seconds
- (e) 6 hours 21 seconds and 4 hours 17 seconds
- (f) 9 hours 2 seconds and 5 hours 59 seconds
- (q) 2 hours 29 minutes 10 seconds and 5 hours 53 minutes 26 seconds
- (h) 3 hours 20 minutes 42 seconds and 7 hours 18 minutes 59 seconds

2. Subtract the following:

- (a) 3 hours 26 minutes from 5 hours 30 minutes
- (b) 10 hours 32 minutes from 12 hours 59 minutes
- (c) 16 minutes 23 seconds from 20 minutes 48 seconds
- (d) 38 minutes 52 seconds from 40 minutes 50 seconds
- (e) 6 hours 48 seconds from 8 hours 53 seconds
- (f) 2 hours 29 seconds from 3 hours 34 seconds
- (q) 4 hours 42 minutes 09 seconds from 5 hours 02 minutes 59 seconds
- (h) 7 hours 28 minutes 42 seconds from 9 hours 59 minutes 06 seconds









Conversion of Days Into Hours

1 Day = 24 hours


Conversion of Hours Into Minutes

(1 Hour = 60 minutes

Conversion of Minutes Into Seconds

(1 Minute = 60 seconds)

Solved Examples



(a) 6 days

(b) 82 days 4 hours

Solution : As we know,

1 day = 24 hours

(a) $6 \text{ days} = (6 \times 24) \text{ hours}$

= 144 hours

(b) 82 days 4 hours = (82 × 24) hours + 4 hours

= 1968 hours + 4 hours

= 1972 hours

Example 2: Convert the following into minutes:

(a) 8 hours

(b) 15 hours 26 Minutes

Solution : As we know,

1 hour = 60 minutes

(a) 8 hours = (8×60) minutes

= 480 minutes


(b) 15 hours 26 minutes

= (15×60) minutes + 26 minutes

= 900 minutes + 26 minutes

= 926 minutes







Example 3: Convert the following into seconds:

(a) 29 minutes

(b) 16 minutes 18 seconds

Solution : As we know,

1 minute = 60 seconds

(a) 29 minutes = (29×60) seconds

= 1740 seconds

(b) 16 minutes 18 seconds = (16×60) seconds + 18 seconds

= 960 seconds + 18 seconds

= 978 seconds

exercise 11.4

1. Convert the following into hours:

(a) 12 days

(b) 26 days

(c) 30 days 18 hours

(d) 15 days 6 hours

(e) 42 days 5 hours

2. Convert the following into minutes:

(a) 5 hours

(b) 18 hours

(c) 8 hours 19 minutes

- (d) 10 hours 42 minutes
- (e) 20 hours 30 minutes

3. Convert the following into seconds:

(a) 43 minutes

- (b) 56 minutes
- (c) 28 minutes 53 seconds
- (d) 40 minutes 22 seconds





Some of the departments like railways, airlines, inter state bus services, etc. use a unique timing system.


This unique timing system is known as 24-hours clock time.

It counts the hours from 1 to 24, instead of dividing the time into a.m. and p.m. Here, the time is expressed in digital format, i.e. in 4-digits. The first two digits denote hours and the next two digits denote minutes.











Representation of Times In Two Types of Clocks

12 Hours Clock Time	24 Hours Clock Time
1 a.m.	0100 hours
2 a.m.	0200 hours
3 a.m.	0300 hours
4 a.m.	0400 hours
5 a.m.	0500 hours
6 a.m.	0600 hours
7 a.m.	0700 hours
8 a.m.	0800 hours
9 a.m.	0900 hours
10 a.m.	1000 hours
11 a.m.	1100 hours
12 noon	1200 hours
1 p.m.	1300 hours
2 p.m.	1400 hours
3 p.m.	1500 hours
4 p.m.	1600 hours
5 p.m.	1700 hours
6 p.m.	1800 hours
7 p.m.	1900 hours
8 p.m.	2000 hours
9 p.m.	2100 hours
10 p.m.	2200 hours
11 p.m.	2300 hours
12 mid-night	2400 hours or 0000 hours









Solved Examples

Example 1: Change the following 12-hours clock time into 24-hours clock time:

- 12:30 a.m. (a)
- 4:38 a.m. (b)
- 6:40 a.m. (c)

- (d) 1:00 a.m.
- (e) 12 noon
- 2:15 p.m. (f)

- 10:11 p.m. (q)
- (h) 7:42 p.m.
- 3:29 p.m. (i)

- (i) 12 mid-night
- (k) 8:12 p.m.
- 1:20 p.m. (1)

12:30 a.m. Solution 1230 hours (a)

- (b) 4:38 a.m. = 0438 hours
- (c) 6:40 a.m. = 0640 hours
- (d) 1:00 a.m. = 0100 hours
- 1200 hours (e) 12 noon
- (f) = 1415 hours 2:15 p.m.
- (q)10:11 p.m. = 2211 hours
- 7:42 p.m. = 1942 hours (h)
- (i) 3:29 p.m. 1529 hours
- (j) 12 mid-night = 2400 hours or 0000 hours
- (k) 8:12 p.m. 2012 hours
- 1:20 p.m. (I)1320 hours

Example 2: Change the following 24-hours clock time into 12-hours clock time:

- 0029 hours (a)
- 1249 hours (b)
- (c) 1420 hours

- 0500 hours (d)
- 1756 hours (e)
- (f) 0815 hours

- 1515 hours (q)
- (h) 1618 hours
- (i) 2200 hours

- (i) 1005 hours
- (k) 0245 hours
- (1) 1320 hours

(a) Solution 0029 hours 12:29 a.m.

- (b) 1249 hours 12:49 p.m.
- 2:20 p.m. (c) 1420 hours
- (d) 0500 hours 5:00 a.m.
- (e) 5:56 p.m. 1756 hours
- (f) 0815 hours 8:15 a.m.



























- (g) 1515 hours = 3:15 p.m.
- (h) 1618 hours = 4:18 p.m.
- (i) 2200 hours = 10:00 p.m.
- (j) 1005 hours = 10.05 a.m.
- (k) 0245 hours = 2:45 a.m.
- (I) 1320 hours = 1:20 p.m.



exercise 11.5

- 1. Change the following 12-hours clock time into 24-hours clock time:
 - (a) 12:35 a.m.
- (b) 2:36 a.m.
- (c) 4:29 a.m.

- (d) 3:20 a.m.
- (e) 1:12 a.m.
- (f) 3:45 p.m.

- (g) 4:12 p.m.
- (h) 6:20 p.m.
- (i) 10:00 p.m.

- (j) 11:20 p.m.
- (k) 5:16 p.m.
- (I) 12 mid night
- 2. Change the following 24-hours clock time into 12-hours clock time:
 - (a) 0042 hours
- (b) 1252 hours
- (c) 1220 hours

- (d) 0628 hours
- (e) 1845 hours
- (f) 1550 hours

- (g) 1717 hours
- (h) 1027 hours
- (i) 2000 hours

- (j) 2400 hours
- (k) 0225 hours
- (I) 0000 hours






Time duration means how much time an activity takes to complete a task.

Time duration = Finishing time - Starting time

Finishing time = Starting time + Time duration

Starting time = Finishing time - Time duration









Solved Examples

Example 1 : Find the time duration between 4:00 a.m. and 10 p.m.

Solution :

Step 1: Convert 10 p.m. into 24-hour clock time

10 p.m. = 10 + 12 = 22 hours.

Step 2: Subtract 4 from 22

22 - 4 = 18 hours

.. Time duration = 18 hours.

Example 2 : Rajat went to market at 1300 hours. He come back home after 2

hours. At what time he come back to his home?

Solution : Finishing Time = Starting time + Time duration

= 1300 hours + 2 hours

= 1500 hours

.. To know the time in a.m. or p.m., convert it into 12-hours clock

time.

1500 hours = 3:00 p.m.

Thus, Rajat come back to his home at 3:00 p.m.

Example 3 : Sona left her house for school at 7:15 a.m. and she reached

school at 7:30 a.m. How much time did she take to reach school

from her house?

Solution : Time duration


= Finishing time - Starting time

= 7:30 a.m. - 7:15 a.m.

= 15 minutes

Thus, Sona takes 15 minutes to reach school from her house.





7

15

15

Mathematics-4







exercise 11.6

1. Find the time duration between:

- (a) 12 noon and 5:15 p.m.
- (b) 8:00 a.m. and 1:00 p.m.
- (c) 6:55 p.m. and 4:30 a.m.
- (d) 9:30 p.m. and 12 midnight
- 2. Karan went to his acting class at 5:15 p.m. and came back home at 6:30 p.m. How much time does he take to come back to his home?
- 3. Raj starts his evening walk at 1800 hours. He walks for 1 hour. At what time he finish his walk?
- 4. Raj's school start at 7:30 a.m. and closes at 1:30 p.m. How long does the school work?
- 5. Ayesha start doing her homework at 5:10 p.m. She finished it at 6:30 p.m. How long did she take to finish her homework?
- 6. A G.K. competition started at 10:30 a.m. and finished at 12:45 p.m. How long did the competition last?
- 7. Rajat took part in a cycle race. The race started at 2:30 p.m. and finished at 2:55 p.m. What was the duration of the race?
- 8. How many minutes pass between:
 - (a) 6 o'clock and quarter to 7.
 - (b) Quarter past 8 and 15 minutes to 9.
 - (c) Half past 4 and quarter past 5.
 - (d) 1 o'clock and quarter past 1.





A clock is so placed that its minute hand points towards the north-east at 12 noon. In which

direction does its hour hand point at 1:30 p.m?







Answer the following:

- 1. 2035 hours = _____ in 12 hour clock.
- 2. How many minutes are there between 3:40 am and 4:25 am?
- 3. It takes me 15 minutes to walk to my school. If I leave at 7: 30 a.m. I would reach the school at ______ .
- 4. What time will it be: hours after 3:30 am?
- 5. What time will it be: hours after 12 noon?



Materials required: Paper, pencil

Steps:

- 1. This activity can be done individually.
- 2. Here is a blank timeline. Use it to make your personal timeline of a week.

Monday Tuesday Wednesday Thursday Friday Saturday Sunday











Mathematics-





Calendar



Learning Objectives

By the end of this lesson, students will be able to:

- · Summarise the uses of calendars.
- Write the dates in an appropriate format.
- Know about centuries, leap years and ordinary years.



Using the months of the year word cards. Sort the months of the year as a class, leaving a gap for the current month. Ask the following:



- What month are we in?
- What month is it next?
- · How many months are left till the end of the year? _

Mathematics—4 151







As we know, there are 7 days in a week.





The earliest record of a seven-day week dates back to 600 BCE in ancient Babylon, where a holy day was celebrated every seven days starting with a new moon. This period of days corresponds to the main phases of the moon with each quarter falling roughly seven days apart, or every 7.3825 days.





There are 12 months in a year.

Months	Number of Days
January	31
February	28 or 29
March	31
April	30
May	31
June	30
July	31
August	31
September	30
October	31
November	30
December	31



Use your knuckles to figure out which months have 30/31 days. If the month lands on a kunckle (higher up), it's 31 days otherwise, it's 30 days.



Year which is divisible by 100 is called century. For example, 1800, 1900, 2000, 2100, etc.



Mathematics-4 153



Year other than a century which is divisible by 4 is called leap year.

Also, when century is divisible by 400, then it is called leap year.

For example,

1996, 2000, 2004, 2008, etc.

Leap year has 366 days. February of leap year has 29 days.





Tell the students that the year which is not a leap year, is known as an ordinary year.

For example,

1997, 2001, 2002, 2003, 2005, etc.

An ordinary year has 365 days.

February of an ordinary year has 28 days.

exercise 12.1

1. Which of the following are centuries?

(a) 2005

(b) 1800

(c) 1986

(d) 1600

(e) 2800

(f) 1006

2. Which of the following are leap years?

(a) 1988

(b) 1986

(c) 2000

(d) 1888

- (e) 2007
- (f) 1400

3. Which of the following are ordinary years?

(a) 1992

(b) 2005

(c) 1500


(d) 1994

(e) 2014

(f) 2015



I have 28 days, but every four years I get 29 days. Which month am I?










Calender keeps the record of all the dates and days of the year. Calender shows the months, weeks and days of the year.









How to write dates?

Dates can be written in any of the following two formats:

Let us take an example,

2nd January 2024

It can be written as.

January 2, 2024



Solved Examples

Example 1: Look at the calender of year 2024 and then answer the following questions:

- (a) On which day does the Gandhi Jayanti fall in the year 2024?
- (b) On which date was the second Monday in January 2024?
- (c) Radha was born on 20th January, 2024. What day was it?

Solution :

- (a) The Gandhi Jayanti falls on 2nd October, 2024. The day on 2nd October 2024 is Sunday.
 - So, the Gandhi Jayanti falls on Sunday in year 2024.
- (b) From the calender of 2024, we find that 3rd January is the first Monday and 10th January is the second Monday.
 - So, the 10th January is the second Monday in the year 2024.
- (c) Day on 20th January, 2024 was Thursday.
 - So, Radha was born on Thursday.

Example 2: Find the number of days from 12th January to 20th February.

Solution : Days left in January = 31 - 12

= 19 days

Days in February = 20 days

 \therefore Total number of days = 19 + 20

= 39 days



Example 3: Find the number of days from 15th March to 12th April.

Solution : Days left in March = 31 - 15

= 16 days

Days in April = 12 days

 \therefore Total number of days = 16 + 12

= 28 days

Example 4: Find the number of days from 2nd June to 25th July.

Solution : Days left in June = 30 - 2

= 28 days

Days in July = 25 days

 \therefore Total number of days = 28 + 25

= 53 days

Example 5: If 10th October in a certain year was Sunday, then what was the day

on 26th October in that year?

Solution : We know that, the same day is repeated after 7 days.

So, the dates for Sunday in October of that year after 10th are 17th,

24th and 31st.

.: 24th October was Sunday

: 26th October was Tuesday.

Example 6: If 5th August in a certain year was Wednesday, then what was the

day on 27th August in that year?


Solution : We know that, the same day is repeated after every 7 days.

So, the dates for Wednesday in August of that year after 5th are

12th, 19th and 26th.

.: 26th August was Wednesday

∴ 27th August was Thursday.







	1.	Write	the	dates	in	two	formats	for	the	following
--	----	-------	-----	-------	----	-----	---------	-----	-----	-----------

- (a) 23rd October 2010
- (b) 17th March 1986
- (c) 1st November 2000
- (d) 31st December 2024

(e) 22nd May 1990

2. Look at the calender of year 2024 and then answer the following questions:

- (a) On which day does Independence day fall in the year 2024?
- (b) On which date was the first Sunday in February 2024?
- (c) How many Thursdays are there in April in the year 2024?
- 3. Find the number of days from:
 - (a) 15th March to 26th April
- (b) 10th May to 2nd June
- (c) 28th June to 15th July
- (d) 13th August to 10th September
- (e) 15th January to 2nd February (f)
- (f) 12th May to 15th June
- 4. If 7th May in a certain year was Thursday, then what was the day on 23rd May in that year?
- 5. If 8th April in a certain year was Monday, then what was the day on 15th April in that year?
- 6. If 2nd June in a certain year was Tuesday, then what was the day on 20th June in that year?



Fill in the blanks

1.	A	year	having	c	lays	iS	cal	led	а	leap	year	٠.
----	---	------	--------	---	------	----	-----	-----	---	------	------	----

- 2. The first day of the week is _____
- 3. April, June, September and _____ have 30 days.
- 4. Year which is divisible by _____ is called century.
- 5. _____ is the fifth day of the week.








Materials required: Calendar, pen and pencil.

Steps:

- 1. Write your birthday month in the Month column.
- 2. Put in the dates according to the current year calendar.
- 3. Mark the holidays in the red colour.





Metric System



Learning Objectives

By the end of this lesson, students will be able to:

- · State the units of length, weight and capacity in the metric system
- · Convert higher units into lower units and vice-versa.



In which unit, will you measure the following:

- 1. The length of a pencil_____
- 2. The height of a tree _____
- 3. The distance between two cities _____
- 4. The capacity of a bucket _____
- 5. The weight of a pen _____









Mathematics-4



Facts to Know

In ancient times, the length of a foot, the width of a finger, and the distance of a step were all accepted measurements.



The metric system of measurement is used all over the world and it is based on multiples of 10.

The units used in this system use some common words which are mentioned as under:

Words	Kilo	Hecto	Deca	Deci	Centi	Milli
Value	1000	100	10	1/10	1/100	1/1000






Metre (m) is the standard unit of length.

Units	Kilometre (km)	Hectometre (hm)	Decametre (dam)	Metre (m)	Decimetre (dm)	Centimetre (cm)	Millimetre (mm)
Value	1000 m	100 m	10 m	1 m	$\frac{1}{10}$ m	$\frac{1}{100} m$	1/1000 m







Mathematics-4





Uni	ts	Kilolitre (kl)	Hectolitre (hl)	Decalitre (dal)	Litre ([)	Decilitre (dl)	Centilitre (cl)	Millilitre (ml)
Valu	16	1000 ι	100 ε	10 <i>t</i>	1 <i>l</i>	1/10 f	1/100 l	1/1000 f

CONVERSION



Bigger To Smaller

Kilo	Hecto	Deca	m, g, l	Deci	Centi	Milli
King	Henry's	Daughter	m, g, l	Drinks	<i>C</i> old	Milk

Smaller To Bigger

When we move from,

Bigger to Smaller

then,

Bigger Unit Multiply By Smaller Unit

When we move from,

Smaller to Bigger

then,

Smaller Unit Divide By

Bigger Unit



Mathematics-4

0. 1





exercise 13.1

Fill in the blanks:

- 1. 1 km = m 6. 1 cg = mg
- 2. 1 hm = m 7. 1 kl = l
- 3. 1 m = cm 8. $1 \ell = d\ell$
- 4. 1 hg = g 9. 1 dl = ml
- 5. $1 \, dg = 10. \, cg = 10. \, 1 \, dag = 10. \, g$



Conversion of Higher Units into Lower Units

Solved Examples

- Example 1: Convert 5 km into metres
- Solution : 1 km = 1000 m
 - $5 \text{ km} = (5 \times 1000) \text{ m}$
 - = 5000 m
- Example 2: Convert 2 hm into metres
- Solution : 1 hm = 100 m
 - $2 hm = (2 \times 100) m$
 - = 200 m
- Example 3: Convert 5 m into dm
- Solution : 1 m = 10 dm
 - $5 m = (5 \times 10) dm$
 - = 50 dm
- Example 4: Convert 12 m into cm
- Solution : 1 m = 100 cm
 - $12 m = (12 \times 100) cm$
 - = 1200 *cm*







Solution : 1 kg = 1000 g

 $7 kg = (7 \times 1000) g$

= 7000 g

Example 6: Convert 8 dag into grams

Solution : dag = 10 g

 $7 \, dag = (7 \times 10)g$

= 70 g

Example 7: Convert 10 g into mg

Solution : 1g= 1000 mg

 $10 g = (10 \times 1000) mg$

= 10000 mg

Example 8: Convert 4 klinto litres

Solution : 1 kl = 1000 l

 $4 \text{ kl} = (4 \times 1000) \text{ l}$

= 4000 *l*

Example 9: Convert 7 linto dl

Solution : $1 \ell = 10 d\ell$

 $= (7 \times 10) dl$ **7** *l*

= 70 dl

Note:

Teacher's Explain that to change from higher units to lower units, we always

multiply the higher unit by the difference between the two units. Also, tell the children that always read the value in the

smaller units first and then write.

rereise 13.2

1. Convert the following units of length:

(a) 2 km into m

(b) 7 hm into m

(c) 8 dag into m

(d) 3 m into cm

(e) 5 cm into mm

Convert the following units of mass: 2.

(a) 3 kg into g

(b) 7 g into mg

(c) 2 dag into g

(d) 5 dg into mg

(e) 4 hg into g







3. Convert the following units of capacity:

(a) 9 hl into l

(b) 7 hl into ml

(c) 8 clinto ml

(d) 5 dal into l

(e) 2 klinto l



Conversion of Mixed Units into Lower Units

Solved Examples

Example 1: Convert 6 m 5 cm into cm.

Solution : 6 m 5 cm = 6 m + 5 cm

= (6×100) cm + 5 cm [: 1 m = 100 cm]

= 600 cm + 5 cm

= 605 cm

Example 2: Convert 9 cm 2 mm into mm.

Solution : 9 cm 2 mm = 9 cm + 2 mm

= $(9 \times 10) mm + 2 mm [: 1 cm = 10 mm]$

= 90 mm + 2 mm

= 92 *mm*

Example 3: Convert 2 km 3 km 5 dam 4 m into m.

Solution : 2 km 3 hm 5 dam 4 m

= 2 km + 3 hm + 5 dam + 4 m

= $(2 \times 1000) m + (3 \times 100) m + (5 \times 10) m + 4 m$

[: 1 &m = 1000 m, 1 &m = 100 m, 1 &m = 10 m]

= 2000 m + 300 m + 50 m + 4 m

= 2354 m

Example 4: Convert 5 kg 289 g into g.

Solution : 5 kg 289 g = 5 kg + 289 g

 $= (5 \times 1000) g + 289 g [1 kg = 1000 g]$

= 5000 g + 289 g

= 5289 g



Example 5: Convert 3 g 29 cg into cg.

Solution : 3 g 29 cg = 3 g + 29 cg

= (3×100) cg + 29 cg [: 1 g = 100 cg]

= 300 cg + 29 cg

= 329 cg

Example 6: Convert 3 kg 8 hg 2 dag 5g into g.

Solution : 3 kg 8 hg 2 dag 5 g = 3 kg + 8 hg + 2 dag + 5 g

= $(3 \times 1000)_g + (8 \times 100)_g + (2 \times 10)_g + 5_g$

 $[:: 1 \ kg = 1000 \ g, 1 \ hg = 100 \ g + 1 \ dag = 10 \ g]$

= 3000 g + 800 g + 20 g + 5 g

= 3825 g

Example 7: 7 (25 ml into ml.

Solution : $7 \ell 25 m\ell = 7 \ell + 25 m\ell$


= $(7 \times 1000) \ ml + 25 \ ml \ [: 1 \ l = 100 \ ml]$

= 7000 ml + 25 ml

= 7025 ml

Example 8: Convert 8 & 6 hl 2 dal 7 linto l.

Solution : 8 kl 6 hl 2 dal 7 l = 8 kl + 6 hl + 2 dal + 7 l



 $[: 1 \ k\ell = 1000 \ \ell, 1 \ h\ell = 100 \ \ell, 1 \ dal = 10 \ \ell]$

= 8000 (+ 600 (+ 20 (+ 7 (

= 8627 *l*

exercise 13.3

1. Convert the following units of length:

(a) 2 m 6 cm into cm

(b) 5 cm 3 mm into mm

(c) 3 km 420 m into m

- (d) 5 km 7 hm 3 dam 2 m into m
- (e) 2 km 8 hm 5 dam 9 m into m





2. Convert the following units of mass:

(a) 3 kg 250 into g

(b) 2 g 14 mg into mg

(c) 5 cg 90 mg into mg

- (d) 4 kg 5 hg 3 dag 2 g into g
- (e) 3 kg 2 hg 7 dag 9 g into g

3. Convert the following units of capacity:

(a) 2 hl 20 l into l

(b) 5 dal 9 l into l

(c) 6 \(\ell 25 d\) into \(d\)

- (d) 5 ke7 he2 dal 5 linto l
- (e) 2 k[3 hl 7 dal 8 linto l



Conversion of Lower Units into Higher Units

Solved Examples

Example 1: Convert 80 mm into cm.

Solution : 10 mm = 1 cm

 $80 \ mm = (80 \div 10) \ cm$

= 8 cm

Example 2: Convert 29 mm into cm and mm.

Solution : 29 mm = 20 mm + 9 mm

= $(20 \div 10)$ cm + 9 mm (: 10 mm = 1 cm)

= 2 cm + 9 mm

= 2 cm 9 mm

Example 3: Convert 426 cm into m and cm.

Solution : 426 cm = 400 cm + 26 cm

= $(400 \div 100) m + 26 cm [:: 100 cm = 1m]$

= 4 m + 26 cm

= 4 m 26 cm





Example 4: Convert 764 cm into m and cm.

Solution : 764 mm = 700 cm + 64 cm

= $(700 \div 100) m + 64 cm [: 100 cm = 1 m]$

= 7 m + 64 cm

= 7 m 64 cm

Example 5: Convert 6200 hg into g.

Solution : 6200 hg = (6200 ÷ 100) g [: 100 g = 1 hg]

= 62 g

Example 6: Convert 272 cg into g and cg.

Solution : 272 cg = 200 cg + 72 cg

= $(200 \div 100) g + 72 cg [::100 cg = 1 g]$

= 2g + 72 cg

= 2 g 72 cg

Example 7: Convert 7642 ℓ into $k\ell$ and ℓ .

Solution : 7642ℓ = $7000 \ell + 642 \ell$

= $(7000 \div 1000) \ \text{Ref} + 642 \ \text{L} \ [\because 1000 \ \text{L} = 1 \ \text{Ref}]$

= 7 kl + 642 l

= 7 R[642 [

Example 8: Convert 25 dl into l and dl.

Solution : $25 \, d\ell$ = $20 \, d\ell + 5 \, d\ell$

= $(20 \div 10) \ell + 5 d\ell [: 10 d\ell = 1 \ell]$

= 2 \(\ell + 5 d\)

= 2 l 5 dl









exercise 13.4

1. Convert the following units of length:

- (a) 32 mm into cm and mm
- (b) 900 cm into m
- (c) 586 cm into m and cm
- (d) 6000 m into km
- (e) 820 m into hm and m

2. Convert the following units of mass:

- (a) 2600 g into kg and g
- (b) 7340 g into kg and g
- (c) 50 g into dag
- (d) $3805 \, mg$ into g and mg
- (e) 29 dg into g and dg

3. Convert the following units of capacity:

- (a) 8000 linto kl
- (b) 876 ℓ into $h\ell$ and ℓ
- (c) 25 linto dal and l
- (d) 2000 ml into l
- (e) 732 clinto land cl



Krishna has only 500g weight. How will he weigh 1kg 500g potatoes by using balance twice?



Complete the following: -

- 1. 3m = ____ cm
- 2. 3000g = _____ kg
- 3. 1425 ml = _____ l
- 4. The base unit of length is _____
- 5. _____ litres make one kilolitres.



Materials required: Measuring flask, buckets of capacity 5%. empty water bottles.

Steps:

- 1. This activity will be done in groups of 6 to 8 students.
- 2. Each group will be given empty water bottles, measuring flask and bucket.
- 3. First, a student will fill empty water bottles with water using measuring flask.
- 4. Another student will record the capacity of each water bottle.
- 5. Other students will pour this water from bottles into the bucket.
- 6. They will record the number of bottles required to fill the 5l bucket.













Obsevation: Students will note down their result in a table.

Capacity of bucket	Capacity of water bottle	Number of water bottles required
5 ℓ	10	5





Geometrical Concepts




Learning Objectives

By the end of this lesson, students will be able to:

- · Understand open and closed figures.
- · Know the types of angles and compare them.
- · Draw the different types of angles.





How many triangles are there in the given figures? Count and write in the box given.












The figures that do not begin and end at the same point are called open figures. Examples:






Facts to Know


In geometry, a closed shape can be defined as an enclosed shape or figure whose line segments and/or curves are connected or meet. They start and end at the same point.









The closed curve that does not intersect itself is called a simple closed curve.



Polygon is a simple closed figure formed by three or more line segments. Some of the different types of polygons are shown below:












1. Which of the following are closed figures?



2. Which of the following are open figures?




3. Which of the following are simple closed figures?




4. Which of the following polygons are quadrilateral?

Angles



When two rays originate from the same point, then they form an angle.



or, we can say that, two rays having a same end point, forms an angle.

In the above figure, AB and AC are the two arms of an angle.

The angle formed inside the two arms is known as interior angle.

The angle formed outside the two arms is known as exterior angle.





Many objects around us forms an angle.

Examples,

Two arms of a scissors.


Two hands in the clock.




Two legs of a trousers.



The symbol ' \angle ' is used to denote an angle. The angle can be named as $\angle BAC$ or $\angle CAB$ or $\angle A$.



Sometimes, the name of an angle can also be written as by putting a number inside the angle. So, \angle BAC an also be written as, \angle 1





Quick Tip

The vertex denoting the angle is always written in middle.









exercise 14.2

Which of the following figures represent an angle? 1.







(b)



(c)



(d)







(f)




Name each of the following angles in any two ways: 2.



(b)





(c)



Count the number of angles found in each of the following figures. 3. Also write their names:

(a)






- Draw the following angles: 4.
 - ∠PQR (a)
- (b) $\angle XYZ$
- (c) ∠5
- (d) ∠2

- (e) ∠3
- (f) $\angle ABC$
- (g) ∠LMO
- (h) ∠6







1. Acute Angle:

An angle whose measure is more than 0° but less than 90°, is known as acute angle.

For example,

$$\angle$$
 XYZ = 45°

∠ XYZ is an acute angle.




2. Obtuse Angle:

An angle whose measure is more than 90° but less than 180°, is known as obtuse angle.

For example,

 \angle XYZ is an obtuse angle.




3. Right angle:

An angle whose measure is 90°, is known as right angle.

For example,

∠XYZ is an right angle.




Straight Angle: 4.

An angle whose measure is 180°, is known as straight angle.

For example,

 \angle XYZ is a straight angle.













Reflex Angle:

An angle whose measure is more than 180° but less than 360° is known as reflex angle.

For example,

$$\angle$$
XYZ is a reflex angle.


Whole Angle or Complete Angle: 6.

An angle whose measure is 360°, is known as whole angle or complete angle.

For example,

$$\angle$$
XYZ = 360°

 \angle XYZ is a whole angle or complete angle.






Teacher's Note:

Tell students that always use capital letters to denote angle names.


ercise 14.3

Without measuring, identify the type of angle: 1.


(a)



(b)




(c)





(e)



(f)




Identify and write the type of angle: 2.

- 25° (a)
- 100° (b)
- (c) 90°
- (d) 280°

- 80° (e)
- (f) 160°
- 360° (9)
- 180° (h)

In the following figure, name any ten acute angles, six obtuse angles, one straight angle and two right angles:





I have 4 sides and 4 right angles. My top and bottom are equal and my left and right are equal. What am I?



Write whether the statements are True or false.

1.	Each face of a cube is a rectangle.	()
2.	A polygon can have a minimum of 2 sides.	()
3.	A triangle has 4 vertices.	()



Materials required: Paper, scissor and pencil.

Steps:

- Draw a circle of any radius on the paper using a paper plate.
- 2. Cut-out the circle you have drawn on the paper.
- 3. Now fold it so that the two parts fit exactly over each other.
- 4. Open it. The crease will be along the diameter.
- 5. Now fold it along a different line and write down the names of angles it make.



Teacher will provide the cut-out of the circle to the students.

Mathematics-4





Perimeter of Rectilinear Figures




Learning Objectives

By the end of this lesson, students will be able to:

- · Know about rectilinear figures.
- Find the perimeter of all the rectilinear figures.



Measure the length of the shapes by using a ruler and add them up.



Rectangle:	
------------	--

Square:

Triangle:



Apprise the students that real-life objects have perimeters as well. A football field, including the end zones, is 360 feet long and 160 feet wide. This means that the perimeter of the field is 360+160+360+160=1040 feet.

Mathematics-4

181





The word 'Perimeter' is derived from the Greek word 'Peri', which means 'around' and 'Meter' means 'measure'.

Perimeter defines the length around a figure.

Perimeter can also be defined as a 'sum of all the sides'.

Rectilinear figures are the plane figures bounded by the line segments.

All the polygons are the rectilinear figures.

Remember

- Perimeter of a rectangle = 2 × (Length + Breadth)
- Perimeter of a square = 4 × (Side of the square)

Solved Examples

Example 1: Find the perimeter of a rectangular field whose length is 40 m and

breadth is 35 m.

Solution : Perimeter = 2 × (Length + Breadth)

 $= 2 \times (40 m + 35 m)$

 $= 2 \times 75 m$

= 150 *m*

35 m 35 m A 40 m B

 \therefore The perimeter of a rectangular field is 150 m


Example 2: Find the perimeter of a square whose each side is 5 cm.

Solution : Perimeter = $4 \times (side)$

 $= 4 \times 5$ cm

= 20 cm

.. The perimeter of a square is 20 cm



Mathematics-


Quick Tip


The perimeter of any polygon is the sum of the lengths of its sides or line segments.





Example 3: Find the perimeter of the following rectilinear figures:





Solution : (a) Perimeter = AB + BC + CD + DE + EA

$$= 6 cm + 7 cm + 10 cm + 2 cm + 5 cm$$

$$\therefore$$
 Perimeter = 30 cm

(b) Perimeter =
$$AB + BC + CD + DA$$

$$= 6 cm + 9 cm + 3 cm + 5 cm$$

Example 4: The perimeter of rectangle is 120 cm. If its length is 40 cm, find its

Solution : Length + Breadth =
$$\frac{1}{2}$$
 × Perimeter

$$= \frac{1}{2} \times 120 \ cm$$

Length + Breadth =
$$60 cm$$

Breadth =
$$60 cm - Length$$


$$= 60 cm - 40 cm = 20 cm$$






Facts to Know

Carl Friedrich Richard Foerster (1825-1902) is the inventor of perimeter.



Exercise 15.1

1. Find the perimeter of the following rectilinear figures:



- 2. Find the perimeter of a triangle whose sides are given below:
 - (a) 15 cm, 14 cm and 20 cm
 - (b) 5 m, 10 m and 8 m
- 3. Find the perimeter of a square whose side is 4 cm.
- 4. Find the perimeter of a rectangular field whose length is 15 $\it m$ and breadth is 10 $\it m$.





- 5. The perimeter of a rectangular field is 160 m. If its length is 50 m, find its breadth.
- 6. If the perimeter of a square is 100 cm, find its side.



Complete the given table:

a)[Perimeter of square	Length of a side
	(i)	40mm
	(ii)	20mm
	(iii) 48cm	
	(iv) 72cm	

(b)	Perimeter of rectangle	Length	Breadth
	(i)	25m	15cm
	(ii) 86cm	19cm	
	(iii) 484cm		58cm
	(iv) 250cm	75cm	




Materials required: A textbook and thread

Steps:

- 1. Place the thread on the boundary (i.e. of the four edges) of the top of the book.
- 2. Remove the thread from the book.
- 3. Using the scale, measure the length of the thread in cm.
- 4. This length gives the length of the boundary of the top of the book.
- 5. Calculate the perimeter of books using this method.













Pictorial Data Representation



By the end of this lesson, students will be able to:

- · Analyse pictographs.
- · Represent the data using pictograph and Bar graph.



Ask each of your classmates about his/her favourite fruit and prepare a table.

Favourite fruit	Number of students
Apple	
Mango	
Litchi	
Strawberry	
Blueberry	
Banana	
Orange	







Data is a fact or an information collected for analysis.

Pictorial data representation means representation of numerical data through graphs or pictures.



Solved Examples

Example 1: Mr. Raj went to the market to purchase cold drinks. He purchased following cold drinks:

6 - Fanta

12 - Pepsi

8 - Dew

5 - Maza

7 - Coke

Represent the above data using pictograph.

Solution

Cold-Drinks Purchased by Mr. Raj

Fanta (Section 1)

Mathematics-4

187











Dew



Maza



Coke





Quick Tip

Always make equal division to represent data.



Facts to Know

Advantages of using pictographs:

- They help in visually formatting statistics.
- · They make data visually interesting and easy to understand.
- Representing data in a pictographic way can be useful for representing a large amount of data.







In each of the following questions, represent the data using pictograph:

1. Number of different animals in the zoo:

Monkey	Lions	Elephant	Tiger	Deer
20	5	15	25	10

2. Number of students who can play different games in the school:

Cricket	Badminton	Football	Basket Ball	Chess
80	70	40	50	60

3. Number of students of a school liking different T.V. channels:

Zee T.V.	Sony	Discovery	Food Food	Pogo	Sab T.V.
30	15	50	10	70	85







Analyzing pictographs means to read the data represented in the pictographs.

Solved Examples

Example 1: A pictograph is given below. It shows the number of chocolates sold on seven days of a certain week.



Mathematics—4 189



Note: 1 represents 10 chocolates.

From the above pictograph, answer the following questions:

- (a) On which day maximum number of chocolates sold?
- (b) On which day minimum number of chocolates sold?
- (c) How many chocolates are sold on thursday?
- (d) How many more chocolates were sold on saturday than friday?
- (e) What is the total number of chocolates sold in all these seven days?

Solution

- (a) Sunday
- (b) Wednesday
- (c) It is given that 1 symbol of chocolates represents 10 chocolates So, number of chocolates sold on thursday

 $= 4 \times 10$

= 40





= 60

Number of chocolates sold on friday $= 3 \times 10$

= 30

Number of more chocolates sold on saturday than friday = 60-30

= 30

Hence, 30 more chocolates were sold on saturday than friday.

(e) Number of chocolates sold on monday = $5 \times 10 = 50$

Number of chocolates sold on tuesday $= 8 \times 10 = 80$

Number of chocolates sold on wednesday = $2 \times 10 = 20$

Number of chocolates sold on thursday $= 4 \times 10 = 40$

Number of chocolates sold on friday $= 3 \times 10 = 30$

Number of chocolates sold on saturday $= 6 \times 10 = 60$

Number of chocolates sold on sunday $= 9 \times 10 = 90$

Total number of chocolates sold in these seven days


$$= 50 + 80 + 20 + 40 + 30 + 60 + 90$$

= 370 chocolates

exercise 16.2

1. The following pictograph shows the number of different ice-creams sold by the ice-cream seller:

Number of Different Ice-Creams







Note: 1 ice-cream represents 5 ice-creams.

From the above pictograph answer the following questions:

- (a) Which ice-cream is liked by the customers most?
- (b) Which ice-cream is less liked by the customers?
- (c) How many kesar pista were sold?
- (d) How many less vanilla were sold than strawberry?
- (e) What is the total number of ice-creams were sold?
- 2. The following pictograph shows the different types of flowers in a garden:

 Different flowers In A Garden



Mathematics-4

0. 1



Note: 1 flower represents 8 flowers.

From the above pictograph, answer the following questions:

- (a) Which flower is least in the garden?
- (b) Which flower is most in the garden?
- (c) How many roses are there in a garden?
- (d) How many sunflowers are more than black berry?
- (e) What is the total number of flowers in a garden?





When the data is represented using bars, then such data representation is called bar graphs.

Solved Examples


Example 1: Represent the following information about number of absentees in each class using bar graph:

Class	1	2	3	4	5
Number of Absentees	2	5	4	1	6

Mathematics-4 193



Solution





Make equal divisions to represent data.



Apprise students that a horizontal line in a bar graph is 'x axis', and a vertical line in a bar graph is 'y axis'.



1. Represent the following information about number of different fruits using bar graph:

Fruits	Mangoes	Apples	Bananas	Litches	Oranges
Number	10	8	12	9	6

Represent the following information about favourite colour of children: 2.

Colou	rs Red	Pink	Blue	Orange	Purple
Numb	er 8	9	4	5	2

Mathematics-4

8. L. A



Number Students 8 101




Who likes Basketball the most?

Basketball

Sports

Other





Soccer

Fill in the blanks

- 1. Always make _____ division to represent data.
- 2. In a bar graph the vertical line is called _____

Softball

- 3. In a bar graph the horizontal line is called ______
- 4. _____ is a fact or an information collected for analysis.
- 5. _____ means representation of numerical data through graphs or pictures.

Mathematics-4

195





Materials required: Pencil and Pencil Colours.

Steps:

1. Half an hour was spent observing diffrent vehicles passing through the road. The results are listed in the tally chart below:-

Vehicle	Tally marks	Total
Car	JH JH JH III	18
Bus	JHY 1	06
Bike	JH JH JH	15
Truck		03.

- 2. Observe the data from the above tally chart to draw a pictograph.
- 3. Draw relvant pictures.
 - Each symbol stands for 3 vehicles

Car	
Bus	
Bike	
Truck	